

RB59279



Library
of the
University of Toronto

Digitized by the Internet Archive in 2017 with funding from University of Toronto



# 7'7173 MINAL KINEDOM ARRANGED ACCORDING TO ITS ORGANIZATION Houndation for the MITURAL ELISTORY OF AMIMALS.

Introduction to comporative : hadomy BARON CUYIER,

Great Officer of the Log of Honour Counseller of State & Member of the Boyal Council of Buller Instruction, Sweet the Forty of the French Sendency Proposal Secretary to the Scalency of Genera, Memberg the Sendencies & South Secretics of Landen A citin, Potersburgh, Bockho a Suria, Salan burgh, Copenhogen Settingen, Be some . Modern the Notherlands s loloutto sof the Linavan Secrety of Louden Best

WATH PICURES DESIGNED AFTER MANUEL

Ametica Arachides & Insectio, If watreille,

Chevalues of the Lower of Monairs, Womber of the Institute Royal Academy of Liverences of the post of parties of Short learned Provides in Entrope, Francisco,

Oranslated from the latest French Edition.

ADDITIONAL NOTES.

· Mustrated by nearly 800 Coloured Mutes.

TH FOUR YOUNTES.

VOL.TU.

MOLLUSCA-ANNELIDES-CRUSTACEA-AND ARACHURDES.

LONDON.

G. Honderson 2. Old Bailey, Indgate Hill.

AND SOLD BY ALL BOOKSELLERS!

1837.



### TABLE OF CONTENTS TO PLATES.

#### VOLUME III.

## MOLLUSCA—ANNELIDES—CRUSTACEA— ARACHNIDES.

MOLLUSCA. Vol. III.	Page
Plate 1. Fig. 1.—Octopus Cuvierii, D'Orb.	. 7
Fig. 2.—Part of an arm of the ELEDONE MOSCHATUS, Lam.; Poulp	e
Musqué	. 10
Fig. 3.—ARGONAUTA ARGO, Lin. (The Paper Nautilus)	. 11
Fig. 4.—Sepia officinalis, Lin	. 13
Fig. 5.—Loligo Brogniartii, D'Orb; Sepia media, Lin.	. 12
Fig. 6.—The extremity of a great arm, and internal shape, of the	
ONYCHOTEUTHIS ANGULATA, Les.	. 12
Fig. 7.—NAUTILUS POMPILIUS, Lin.	. 14
Fig. 8.—Spirula Australis, Peron; Nautilus spirula, Lin.	. 14
Plate 2. Fig. 1.—Sepia octorodia, Lin. (The Polypus of the Ancients)	. 9
Fig. 2.—Eleadon moschatus, Leach; Poulpe musqué, Lam. Se	e
also Pl. 1. fig. 2.	. 10
Fig. 3.—LOLIGO SAGGITATA, Lam. (The Great Calmar) .	. 12
2.6. 3. 2301.00 01.001.11.1, 22.11.1 (2.10 0.101)	
Plate 2. bis. Fig. 1 Various views of the Sepia octopodia, Lin. (Polypus of	
the Ancients). See also Pl. 2. fig. 1. a. View in the	
shell, of which the left side is broken, to shew th	
irregular position of the animal. b. In the entir	
shell, seen on the upper part, to shew that the bod	
of the animal is not in the axe of the shell. The posi-	-
tion of the tentacula branch right to left. c. Out o	f
the shell, and to the right, to shew that the furrow	S
of the latter are as well marked on the tentacula, a	
on the mantle, and are simple impressions	. 9
Fig. 2.—Octopus Argonautæ, Lam.	. 10
Plate 3. Fig. 1.—Belemnites acutus, Blainv.	. 15
	_
Fig. 2.—Ammonites dentatus, Domn.	. 16
Fig. 3.—Scaphites obliquus, Sow.	. 16
Fig. 4.—Bacculites vertebralis, Lam.	. 16
Fig. 5.—Turrilites Bergeri, Brong	. 17
Fig. 6.—Nummulina discoidalis, D'Orb	. 17
Fig. 7.—Nonionina Lævigata, D'Orb.	. 17
Fig. 8.—Siderolina calcitrapoides, D'Orb	. 17
Fig. 9.—Peneroplis planatus, D'Orb.	. 18
Fig. 10.—PLATULINA DUBIA, D'Orb.	18
Fig. 11.—GIROIDINA CARINATA, D'Orb.	. 18
Fig. 12.—GLOBIGERINA BULLOIDES, D'Orb.	
Eig. 12.—Quality point D'Ork	18
Fig. 13.—ROTALIA ROSEA, D'Orb	. 18
Fig. 14.—VALVULINA COLUMNA-TORILIS, D'Orb.	. 18
Fig. 15.—Valvulina triangularis, D'Orb.	. I8
Fig. 16.—BULIMINA STRIATA, D'Orb.	. 18
Plate 4. Fig. 1.—Belemnites plenus, Blainv.	. 15
Fig. 2.—Belemnites hastatus, Blainv.	. 15
Fig. 3.—Belemnites bicanaliculatus, Blainv	15
Fig. 4.—BELEMNITES GIGAS, Blainv.	15
Fig. 5.—Belemnites penicillatus, Blainv	15
Fig. 6.—Orthoceras regularis, Blainv.	
Fig. 7.—Conflites ungulatus, Knorr.	15
	15
Fig. 8.—Belemnites mucronatus, Blainv.	15
Fig. 9.—Belemnites scaniæ, Blainv.	15
8	

MOLLUSCA.	Vol. III.	Page
Plate 4. bis. Fig. 1.—MILIOLA SAXORUM, Ency. Meth.*		. 19
Fig. 2.—MELONIA SPHERICA, Ency. Meth.		. 19
Fig. 3.—MELONIA SPHEROIDIA, Ency. Meth.		. 19
Fig. 4.—Orbiculina nunismalis, Ency. Meth.		. 18
Fig. 5.—PLACENTULA PULVINATA, Ency. Meth.		. 18
Fig. 6.—Vorticialis Craticulata, Ency. Meth.	•	. 18
Fig. 7.—LENTICULINA ROTULATA Ann. of the F. Mus	· aum	. 18
	eum	. 18
Fig. 8.—Polystomella Planulata, Ficht.	•	. 10
701 / A / 701 7 NY		3.77
Plate 4. ter. Fig. 1.—NUMMULITES LENTICULARIS; Nautilus lenticu	laris	. 17
Fig. 2.—Miliola Trigonula, Ency. Meth.	•	. 19
Fig. 3.—BACCULITES GIGAS		. 16
Fig. 3. a.—Portion of a BACCULITES .		. 16
Fig. 4.—Turrilites costulata, Bl.		. 16
Fig. 5.—Ammonites colubina, Bl.		. 16
Fig. 6.—NAUTILUS TRIANGULARIS, Bl.		. 17
Fig. 7.—NAUTILUS UMBILICATUS, Bl.		. 17
Fig. 8.—Nautilus bisiphites, Bl.		. 18
	•	
Fig. 9.—Orbulites crassa, Bl		. 18
701 ( F T)' 7 4	, ,	7.0
Plate 5. Fig. 1.—Ammonites interruptus, Def. A young indivi	dual	. 16
Fig. 1. a.—Front view		. 16
Fig. 2.—Ammonites Brogniartii, Sow.		. 16
Fig. 2. a.—Front view .		. 16
Fig. 3.—Ammonites crassa, Def.		. 16
Fig. 3. a.—Front view .		. 16
Fig. 4.—Ammonites Deslonchampii, Def	_	. 16
Fig. 5.—Ammonites Gervilli, Sow.	•	. 16
Fig. 5. a.—Front view		
rig. o. u.—Front view	•	. 16
District Et al. Management Department		**
Plate 6. Fig. 1.—Nodosaria Ferussacii .		. 18
Fig. 2.—Textularia pygmæa		. 19
Fig. 3.—Polymorphina digitata .		. 19
Fig. 4.—Triloculina difformis		. 19
Fig. 5.—Triloculina tricarinata		. 19
Fig. 6.—Spiroloculina perforata .		. 19
Fig. 7.—Spiroloculina depressa		. 19
Figs. 8, 9.—Articulina nitida		. 19
Fig. 10.—Quinqueloculina striata		
	•	. 19
Fig. 11.—Amphistegina Lessonii .		. 19
Fig. 12.—Arveolina bulloides .	•	. 19
This is the Till Co.		
Plate 7. Fig. 1.—CLIO BOREALIS, Lin. Cuv.	•	. 20
Fig. 2.—Cymbulia Peronii, Cuv		. 21
Fig. 3.—PNEUMODERMON DIAPHANUM, Quoy and Gaym.		. 21
Fig. 4.—PNEUMODERMON PERONII, Cuv.		. 21
Fig. 5.—LIMACINA HELICINA, Cuv.		. 21
Fig. 6.—HYALEA GLOBULOSA, Rang.		. 22
Fig. 7.—HYALEA TRISPINOSA, Les.		$\frac{1}{2}$
Fig. 8.—CLEODORA LANCEOLATA, Les.	•	
Fig. 9.—Creseis virgula, Rang.		. 22
	•	. 22
Fig. 10.—Cuvieria columnella, Rang.		. 22
Fig. II.—PSYCHE GLOBULOSA, Rang.	•	. 22
Fig. 12.—Eurybia Hemispheries, Rang.		. 22
Fig. 13.—Pyrgo Lævis, Def. Cuv.		. 22
Plate 8. Fig. 1.—Lenticulites Planularis, Lam.		. 17
•		

<sup>\*</sup> It belongs to the group of the Agathistegua of D'Orbigny.
† This belongs to genus Agathistegua of D'Orbigny.

TABLE OF THE PLATES.	iii
MOLLUSCA.  Plate 8. Fig. 2.—Discorbites vesicularis, Lam. Fig. 3.—Rotalites trochidiformis, Lam. Fig. 4.—Frondicularis complanata, Def. Fig. 5.—Planularia auris, Def. Fig. 6.—Planosprites solitaria, Def. Fig. 7.—Spirolinites cylindracea, Lam. Fig. 8.—Spirolinites complanata, Lam. Fig. 9.—Nummulites lævigata Fig. 10.—Nodosaria filiformis	18 18 18 18 18 18 18 18 17
Plate 9. Fig. 1.—Hamite cylindricus, Def. Fig. 2.—Scaphites Æqualis, Sow. Fig. 3.—Orthoceras annelatus, Bl. Fig. 4.—Conularia Sowerbii, Def.	16 16 15 16
Plate 10. Fig. 1.—Notarchus. A new genus of the Gasteropoda tecti- Branchiata Fig. 2.—Pleurobranchus Luniceps. a. The penis. b. b. Tentacula. c. The anus. d. d. The foot which everywhere projects	46
Fig. 3.—Animal of the Anomia. a. Part of the muscle which is connected with the third valve. b. The foot. c. A portion of the mantle which unites the two large valves. d. d.	45
The mantle. e. e. The shell  Fig. 4.—Animal of the Sigaretus, with its fleshy mantle enveloping and concealing its shell  Fig. 5.—Animal of the Tridacna. a. A fibrous bundle analogous to the threads of the Muscle, by which the Tridacna attaches itself to rocks. b. Aperture for the entrance of	87 64
water. c. Opening corresponding to the anus. d. Transverse muscle  Fig. 6.—Polyclinum diazona*	97 116
Plate 11. Fig. 1.—ARION EMPIRICORUM, Fer.  Fig. 2.—LIMAS YARIEGATUS, Fer. Diap.  Fig. 3.—VITRINA PELLUCIDA, Drap.  Fig. 4.—Testacellus haliotideus, Fer. Cuv.  Fig. 5.—Parmacella Olivieri, Cuv.  Fig. 6.—The head and interior rudimental parts of the Parmacella Palliolum, Fer.  Fig. 7.—Vaginula Taunaysii, Fer.	32 33 34 32 33 33
Plate 12. Fig. 1.—Helix carocolla, Lin. Cuv.  Fig. 2.—Helix Globulosa, Lam.  Fig. 3.—Helix personata; Helix sinnata, Lam.  Fig. 4.—Helix Gualteriana, Lin. Cuv.  Fig. 5.—Helix garabinata, Feruss.  Fig. 6.—Helix conoidea, Drap. Cuv.  Fig. 7.—Helix memoralis, Lin. Cuv.  Fig. 8.—Succinea rubescens, Desh. encycl.  Fig. 9.—Chondrus avenaceus, Cuv.	33 33 34 33 35 33 35 35

Fig. 10.—CHONDRUS VARIABILIS, CUV.
Fig. 11.—BULIMUS GUADALUPENSIS, Fer.
Fig. 12.—PUPA STRIATELLA, Fer.
Fig. 13.—CLAUSILIA INFLATA, Lam.
Fig. 14.—ACHATINA MULLERI, Fer.

Plate 13. Fig. 1.—HELIX OBVOLUTA \* A reduced sketch of the beautiful Polyclinum diazona, discovered by M. de La Roche, and recognised by M. Savigny as one of the compound Ascidiæ.

	MOLLUSCA. Vol. III.	Page
Plate 13.	Fig. 2.—VITRINA PELLUCIDA, Drap.	. 34
	Fig. 3.—Succinea cucullata, Drap.; Amphilim. encapuchonn	i,
	Lam	. 36
	Fig. 4.—Succinea amphibia, Drap.	. 36
	Fig. 5.—CLAUSILIA RUGOSA, Drap.	. 36
	Fig. 6.—Bulla Zebra, Lin.	. 36
	Fig. 7.—BULIMUS GLANS, Brug.	. 36
	Fig. 8.—Achatina columnaris, Brug.	. 3€
701 . 1.1	II'. 1 Drawanna guanti unnvata Fan	. 37
Plate 14.	Fig. 1.—PLANORBIS GUADELUPENSIS, Fer.	. 37
	Fig. 2—Planorbis cornea; H. cornea, Lin.	. 38
	Fig. 3.—Lymnæus pallidus, Guer.	. 38
	Fig. 4.—LYMNÆUS STAGNALIS; Helix stagnalis, Lin.	. 38
	Fig. 5.—Physa Novæ-Hollandiæ, Blainv.	. 30
	Fig. 6.—Scarabus imbium, Montf.; H. scarabœus, Lin.	. 39
	Fig. 7.—AURICULA MIDÆ, Lam	. 39
	Fig. 8.—Conovulus fasciatus, Desh. Fig. 9.—Onchidium Peronii, Cuv.	. 37
	rig. 3.—Onenthiem I Eronii, Cuv.	. 0,
Plate 15	Fig. 1.—Doris atromarginata, Cuv	. 40
I late 10.	Fig. 2.—Doris Magnifica, Quoy and Gaym.	. 40
	Fig. 3.—Eggs of the Doris .	. 40
	Fig. 4.—Polycera cornuta, Mull.; Doris cornuta, Cuv.	. 41
	Fig. 5.—Tritonia elegans, Cuv.	. 41
	Fig. 6.—THETHYS FIMBRIA, Lin.	. 41
	Fig. 7.—Scyllæa Ghomphodensis, Quoy and Gaym.	. 42
	Fig. 8.—GLAUCUS FORSTERI, Quoy and Gaym.	. 42
	, , , , ,	
Plate 16	Fig. 1.—Pleurobranchus punctatus, Quoy and Gaym.	. 44
Tate 10.	Fig. 2.—Pleurobranchiza Maculata, Quoy and Gaym.	. 44
	Fig. 3.—APLYSIA PUNCTATA, Cuv.	. 46
	Fig. 4.—Dolabella Rumphii, Cuv	. 46
	Fig. 5.—Notarchus gelatinosus, Cuv.	. 46
	Fig. 6.—Bursatella Leachii, Blainv.	. 47
	Fig. 7.—AKERA VIRIDIS, Rang.	. 47
	Fig. 8.—Gasteropteron Meckelli, Cuv.	. 49
	Fig. 9.—Ombrella indica, Lam.	. 49
	16.0.	•
Dista 16	his Eig 1 -PIEUPOPPANOUUS I PESEUP BI	. 44
Plate 10.	bis. Fig. 1.—PLEUROBRANCHUS LESSEUR. Bl.	
	Fig. 2.—Aplisia depilans, Lin.	. 49
	Fig. 3.—Ombrella indica, Lam. See also Pl. 16. fig. 9.	. 4:
701 . 70	, Ti 1 To T (m) 0 II ( )	4.5
Plate 16	ter. Fig. 1.—Bulles Aperta, Lam. (The Sea Wafer)	. 47
	Fig. 2.—Bulla hydatis, Lin. (The Water Drop)	. 48
	Fig. 3.—Bulla carnosa, Cuv.	. 48
	Fig. 4.—Sormetus Adansoni	. 47
	Fig. 5.—Atlas Peronii, Bl.	. 47
	Fig. 6.—Bulla fragilis, Lam.	. 47
	Fig. 7.— Bulla Lignaria, Bl. (The Wafer)	. 48
	Fig. 8.—Bulla Jonkairii, Bl.	. 48
	Fig. 9.—BULLA APLUSTRE, Ency. Meth.	. 48
	Fig. 10.—Bulla Naucum	. 48
	Fig. 11.—Bulla ampulla, Ency. Meth. (The Nutmeg)	. 48
101-1-14	T:- 1 C	
Plate 17.	Fig. 1.—Carinaria cymbium, Lam.	. 50
	Fig. 2.—ATLANTA KERAUDRENII, Les.	. 51
	Fig. 3.—FIROLA CAUDINA, Rang.	. 51
	Fig. 4.—TIMORIANA TRIANGULARIS, Quoy and Gaym.	. 51

	MOLLUSCA.		Vol. 1	III. I	Page
Plate 17	Fig. 5Monophora Rudis, Quoy and Gaym.		, , , , ,		51
	Fig. 6.—PHYLLIROE RUBRA, Quoy and Gaym.				52
Plate 18	Fig. 1.—EOLIDIA CŒRULESCENS, Laurillard .				42
1 1010 101	Fig. 2.—CAVOLINA PEREGRINA, Gmel.		•	•	42
	Fig. 3.—Tergipes Lacinulatus, Cuy.	•		•	43
	Fig. 4.—Busiris griseus, Risso		•	•	43
	Fig. 5-PLACOBRANCHUS OCELLATUS, Quoy and	Gavn	Pl	aco=	
	branchus Hasseltii		,		43
	Fig. 6.—PHYLLIDIA TRILINEATA, Cuv.			·	44
	Fig. 7.—DIPHYLLIDIA LINEATA, Otto .		,		44
Plate 19.	Fig. 1.—TROCHUS AGGLUTINANS, Lin.				54
1 1010 101	Fig. 2.—Trochus niloticus, Chem.	•	•	•	54
	Fig 3.—TROCHUS OBELISCUS, Chem	. '		•	54
	Fig. 4.—Turbo pica, Lin.	Ť			55
	Fig. 5.—AMPULLARIA CARINATA, Oliv.				59
	Fig. 6.—Helicina neritella, List.				60
	Fig. 7MELANIA COARCTATA, Lain				60
Plate 20	Fig. 1.—Trochus pagodus, Chem.				54
	Fig. 2.—TROCHUS IMPERIALIS, Chem			·	54
	Fig. 3.—Rotelia monilifera, Lam	•		i.	54
	Fig. 4.—Trochus iris, Chem.				54
	Fig. 5.—TROCHUS CONCAVUS, Chem.	•			54
	Fig. 6.—TROCHUS TELESCOPIUM, Chem.				54
	Fig. 7.—Solarium perspectivum, Lam.				55
	Fig. 8.—Turbo rugosus, Lam.				55
	Fig. 9.—Delphinula distarta, Lam.		•		56
	Fig. 10.—Turitella duplicata, Lam.	•			56
	Fig. 11.—Scalaria pretiosa, Lam.		•	٠.	56
	Fig. 12.—Cyclostoma elegans, Lam.				57
	Fig. 13.— VALVATA PLANORBIS, Drap.		•		57
Plate 21	'Fig. 1.—PALUDINA VIPIPARA, Lin. Cuv.				58
	Fig. 2.—LITTORINA LITTOREA, Lin.				58
	Fig. 3.—Monodon labeo, Adans				58
	Fig. 4.—Phasianella Ferussacii, Payr				59
	Fig. 5.—Ampullaria guyanensis, Lam.				59
	Fig. 6.—Lanistes carinata, Oliv.				59
	Fig. 7.—Helicina neritella, List	•		•	60
	Fig. 8.—Opercule of the Helicina Striata, Blai	nv.			59
	Fig. 9.—HELICINA PULCHELLA, Gray.	•		•	59
	Fig. 10.—MELANIA AMARULA, Lam.		•		60
	Fig. 11.—MELANIA TRUNCATA, Lam.	•	•	•	60
	Fig. 12.—RISSOA LACTEA, Michaud.		•	•	60
	Fig. 13.—Melanopsis buccinoides, Fer.	•	- •	•	60
	Fig. 14.—PIRENA SPINOSA, Lam.		•	•	60
Plate 22	· Fig. 1.—Tornatella flammea, Lam.	#	•	•	61
	Fig. 2.—Pyramidella maculosa, Lam.		•	•	61
	Fig. 3.—Janthina communis, Lam.	•	•	•	61
	Fig. 4.—NATICA PLUMBEA, Lam.		•	•	62
	Fig. 5NATICA ALBUMEN, Lam.	•	•	•	62
	Fig. 6.—NATICA PLICATA, Lam.		•	•	62
	Fig. 7.—Velates perversa, Cuv.	•	•	•	62
	Fig. 8.—Neritina bætica, Lam.		•	•	$\begin{array}{c} 61 \\ 62 \end{array}$
	Fig. 9.—CLITHON CORONA, Cuv.	•	•	•	62
D1	Fig. 10.—Opercule of the Neritina Lineata, Bl	•	•	•	
Plate 22	. bis. Fig. 1.—Conus generalis .	•	•	•	66
	Fig. 2.—Conus mushelirus		•		66
	Fig. 3.—Conus nutratus	•	•		66
	Fig. 4.—Conus textile		•	•	66

MOLLUSCA.	V 01.	111.	Page
Plate 22. bis. Fig. 5.—Conus imperialis			. 60
Fig. 6.—Terebellum convolutum, Lam.			. 67
Fig. 7.—VOLVARIA MONILIS, Lin.			. 68
Fig. 8.—MARGINELLA FABA, Bl.; Voluta faba. Ada	HQ		. 68
			. 68
Fig. 9.—MARGINELLA LINEATA, Bl.; Voluta Margi	mata		
Plate 22. ter. Fig. 1.—OLIVA LITTERATA			. 67
Fig. 2.—OLIVA UNDATA			. 67
Fig. 3.—OLIVA SUBULATA			. 67
Fig. 4.—Columbella strombiformis			. 68
Fig. 5.—MITRA TÆMATA, Bl.			. 69
Eig 6 Marine Envisionaria, Volute aniconalia Li	o. <del>f</del>		. 69
Fig. 6.—Mitra episcopalis; Voluta episcopalis, Li	St.		. 69
Fig. 7.—MITRA MICROZONIAS	•		
Fig. 8.—MITRA DACTYLUS			. 69
Fig. 9.—MITRA DECORATA, Schum.			. 69
Plate 23. Fig. 1 HIPPONIX CORNUCOPIA, Lam.			. 68
	'		. 68
Fig. 2.—Capulus Hungaricus, List. Cuv.	•		
Fig. 3.—CREPIDULA COSTATA, Desh.	•		. 63
Fig. 4.—Septaria elliptica, Fer	•		. 63
Fig. 5.—Pileolus neritoides, Desh.	•		. 65
Fig. 6.—CALYPTRÆA AUSTRALIS, Desh.			. 64
Fig. 7.—CALYPTRÆA EQUESTRIS, Cuv.; P. equestus, Li	n.		. 64
Fig. 8.—CALYPTRÆA RUGOSA, Desh.			. 64
Fig. 9.—CALYPTRÆA SQUAMULA, Desh.			. 64
	•		. 64
Fig. 10.—Siphonaria Sowerbeil, Michelin	•		
Fig. 11.—SIGARETUS HALIOTIDEUS, Lam.	•		. 64
Fig. 12.—Coriocella nigra, Bl.	•		. 65
Fig. 13.—CRYPTOSTOMA LEACHII, Bl.			. 65
Plate 23. bis. Fig. 1.—MITRA VULPECULA, Lam.			. 69
Fig. 2.—Conælix dactylus, Sow.; Mitra dactylus	Ī		. 69
			. 69
Fig. 3.—CANCELLARIA ASPERULA, Desli.	•		
Fig. 4.—Buccinum glans, Lam.			. 70
Fig. 5.—Buccinum lævissimum, Lam.	•		. 69
Fig. 6.—Nassa reticulata, Lam.			. 79
Fig. 7.—EBURNA SPIRATA, Lam.			. 70
Fig. 8.—Ancillaria cinnamomea, Bl.			. 70
Fig. 9.—Dolium pommum, Lam.			. 70
	1		. 70
Fig. 10.—Dolium perdix, Lam		_	
Plate 23. ter. Fig. 1.—Hipponix cornucopia, Def. Sec also Pl	. 23	fig. l	. 63
Fig. 2.—Hipponix Sowerbeil, Def.			. 63
Fig. 3.—HIPPONIX DILATA, Def.			. 63
Fig. 4.—Hipponix mitrata, Def			. 63
Fig. 5.—CREPIDULA SUBSPIRATA			. 63
	•		. 63
Fig. 6.—NAVICELLA ELLIPTICA, Encyc. Method.		'	
Fig. 7.—CALYPTRÆA EXTINCTORIUM .	•		• 65
Plate 23. quar. Fig. 1.—Dolium galea, Bl			. 70
Fig. 2.—Buccinum undatum, or undulatum, Bl.			. 69
Fig. 3.—Buccinum reticulatum, Bl.			. 70
Fig. 4.—EBURNA ZEYLANICA, Bl.			. 70
Plate 24. Fig. 1.—Conus caledonicus, Lam.			. 66
Fig. 2.—Animal of the Conus Bandanus, Lam.			. 66
Fig. 3.—Conus tendineus, Lam.			. 66
Fig. 4.—CYPRÆA STOLIDA, Lam			. 66
Fig. 5.—Animal of the CYPRÆA PEDICULUS, Lam. Ta	ken f	rom a	3.
drawing by MM. Audouin and Edward			. 66
Fig. 6.—Ovula triticea, Lam.			. 67
Fig. 7.—Ovula volva, Lam.; Bulla volva, Lin.			. 67
Fig. 8.—Calpurnus verrucosus, Cuv.; Bulla verruco	sa, L	ın.	. 67
Fig. 9.—Terebellum subulatum, Lam.			. 67

MOLLUSCA.	Vol.	III.	Page
Plate 24. Fig. 10.—Voluta Nivosa,			. 67
Fig. 11.—Animal of the Voluta ÆTHIOPICA, Lam.			. 67
Fig. 12.—OLIVA ISPIDULA, Lam.			. 67
Fig. 13.—OLIVA AURICULARIA, Lam.			. 67
Fig. 14.—Volvaria pallida, Lam			. 68
			. 68
Fig. 15.—MARGINELLA NUBECULATA, Lam.	•		68
Fig. 16.—Marginella bullata, Lam.	•		. 00
Di con lie Ei de Brome myrnymny te Def			. 72
Plate 24. bis. Fig. 1.—Proto Turritella, Def.	•		
Fig. 2.—Nerinea tuberculosa, Def.	•		$\frac{72}{61}$
Fig. 3.—MELANOPSIS LÆVIS, Bl.	•		. 61
Fig. 4.—Turritella biangulata, Bl.	•		. 61
Fig. 5.—Pyramidella dolabrata, Bl.			. 61
2nd Plate 24. bis. Fig. 1.—HARPA VENTRICOSA, Lam	?		. 71
Fig. 2.—Purpura trochlea, Lam.	· .	,	. 71
Fig. 3.—RICINULA ARACHNOIDES, Lam.			. 71
Fig. 4.—Concholepas peruvianus, D'Arg.			. 71
Fig. 5.—Cassis decussata, Lam.			. 72
Fig. 6.—Cassidaria echinophora. List.			. 72
Fig. 7.—Terebra muscaria, Lam.	. *		. 72
Fig. 8.—Potamis palustre. Brogn. Lam.	•		$\overline{72}$
	•		. 72
Fig. 9.—Potamis fragilis, Def.	•		. , 4
DI 4. 04 4 Ti' 1			. 72
Plate 24. ter. Fig. 1.—Cassis tuberosa, Bl.	•		≈ 1
Fig. 2.—Purpura imbricata, Bl.	•		. 71
Fig. 3.—RICINULA HORRIDA, Bl.	•		. 71
Fig. 3.—Ricinula horrida, Bl. Fig. 4.—Terebra buccinoidea Fig. 5.—Harpa nobilis, Lam.		•	. 72
Fig. 5.—Harpa nobilis, Lam.	•		. 72
Plate 25. Fig. 1.—Murex Brandaris, Lam.			. 73
Fig. 2.—Murex haustellu			. 73
Fig. 3.—Typhis pungens, Montf.			. 73
Fig. 4.—MUREX CUTACEUS			. 73
Fig. 5.—MUREX LOTORIUM			. 73
Fig. 5.—MUREX LOTORIUM Fig. 6.—MUREX RUBECULA			. 74
Fig. 7.—MUREX MAGELLANICUS			. 74
1 15. /.—MUREA MAGELLANICUS	•		•
Plate 25. bis. Fig. 1.—CERITHUM VERTAGUS, Brug.			. 72
		•	. 72
Fig. 2.—Cerithum aluco, Brug.	•		. 72
Fig. 3.—CERITHUM TRISTOMA, Brug.		•	. 72
Fig. 4.—CERITHUM SULCATA, Bl.	•		. 72
Fig. 5.—CERITHUM GOUMERII	•	•	. 72
Fig. 6.—Cerithum Madagascariensis, Bl.	•		. 14
			17 A
Plate 25. ter. Fig. 1.—Murex gyrinus, Lin.	•		. 74
Fig. 2.—Murex lotorium, Lin.		•	. 73
Fig. 3.—MUREX ADUSTUS, Bl.	•		. 73
Fig. 4.—Murex scolymus, Mar.		•	. 75
Fig. 5.—MUREX TULIPA, Lin.			. 75
Fig. 6.—PYRULA MELONGENA, Bl.			. 75
Plate 26. Fig. 1.—Fusus Morio, Lam.		•	. 74
Fig. 2.—STRUTHIOLARIA NODULOSA, Lam.			. 74
Fig. 3.—Pleurotoma Babylonia, Lam.		•	. 74
			. 74
Fig. 4.—PLEUROTOMA AURICULIFERA, Bl.			. 75
Fig. 5.—Pyrula rapa, Lam.		-	. 75
Fig. 6.—Pyrula ficus, Lam.	•		, ,

	MOLLUSCA.	Vol.	111.	Page
Plate 26.	Fig. 7.—Pyrula perversa, Lam.			. 75
	Fig. 8.—Fasciolaria trapezium, Lam.			. 75
	Fig. 9.—Turbinella pyrum, Lam	· .		. 75
	Fig. 10.—Turbinella ceramica, Lam.	•		
	2.6. 10. TORDINEEDA CERAMICA, Lani.	•		. 75
DI 4 - 00	11 77 7 37			
Plate 26	. bis. Fig. 1.—MUREX CRASSISPINA, Bl.		,	. 73
	Fig. 2.—Murex pungens, Bl			. 73
	Fig. 3.—Buccin papillosum, Bl			. 70
	Fig. 4.—BUCCIN ARCULARIA. Bl			. 70
	Fig. 5.—PTEROCERA SCORPIO, Lam. (first state) F		otho	. 70
	ries Di Gr C. O	or ai	lothe	
	view, see Pl. 27. fig. 2.	•		. 76
	Fig. 6.—Strombus tricornis, Bl.			. 70
	Fig. 7.—Fuseau tæniata, Bl.			. 76
				·
Plate 26	ter. Fig. 1.—Triton lampus, Bl.			H 4
1 late 20.		•		. 74
	Fig. 2.—RANELLA GRANULATA, Bl.	•		. 74
	Fig. 3.—Triton variegatum, Bl		į.	. 74
Plate 27	Fig. 1.—Strombus papilio, Lam.			. 76
_ 1000 -/.	Fig. 2.—Pterocera scorpio, Lam.	•		
				. 76
	Fig. 3.—Rostellaria pespelecani, Lam.	•		. 76
	Fig. 4.—HIPPOCRENES MACROPTERA, Lam.	•		. 76
Plate 28.	Fig. 1.—VERMETUS LUMBRICALIS, Lin. Adans.			. 77
I late 20.		•	,	
	Fig. 2.—Vermetus Roseus, Quoy and Gaym.			. 77
	Fig. 3.—VERMETUS CARINATUS, Quoy and Gaym.	•		. 77
	Fig. 4.—Magilus antiquus, Montf.			. 77
	Fig. 5.—SILIARIA MURICATA, Lam.			. 77
	·			
Plata 29	Fig. 1.—PATELLA VULGATA, Martin			. 80
I late 20.				
	Fig 9 - PATELLA COMPRESSA Chem			
	Fig. 2.—PATELLA COMPRESSA, Chem.			. 80
	Fig. 3.—PATELLA SCUTELLARIS, Blainv.			80 80
	Fig. 3.—Patella scutellaris, Blainv. Fig. 4.—Patella cochlearia, Fab.			. 80
	Fig. 3.—PATELLA SCUTELLARIS, Blainv. Fig. 4.—PATELLA COCHLEARIA, Fab. Fig. 5.—PATELLA PECTINATA, Blainv.	•		80 80
	Fig. 3.—PATELLA SCUTELLARIS, Blainv. Fig. 4.—PATELLA COCHLEARIA, Fab. Fig. 5.—PATELLA PECTINATA, Blainv.			80 80 80 80 80
	Fig. 3.—Patella scutellaris, Blainv. Fig. 4.—Patella cochlearia, Fab. Fig. 5.—Patella pectinata, Blainv. Fig. 6.—Patella cymbularia, Blainv.			80 80 80 80 80 80
	Fig. 3.—PATELLA SCUTELLARIS, Blainv. Fig. 4.—PATELLA COCHLEARIA, Fab. Fig. 5.—PATELLA PECTINATA, Blainv.	• •		80 80 80 80 80
	Fig. 3.—Patella scutellaris, Blainv. Fig. 4.—Patella cochlearia, Fab. Fig. 5.—Patella pectinata, Blainv. Fig. 6.—Patella cymbularia, Blainv. Fig. 7.—Patella deaurata, Chem.	•		80 80 80 80 80 80
Plate 30.	Fig. 3.—PATELLA SCUTELLARIS, Blainv. Fig. 4.—PATELLA COCHLEARIA, Fab. Fig. 5.—PATELLA PECTINATA, Blainv. Fig. 6.—PATELLA CYMBULARIA, Blainv. Fig. 7.—PATELLA DEAURATA, Chem.  Fig. 1.—CHITCN MARMORATUS, Chem.			80 80 80 80 80 80 80
Plate 30.	Fig. 3.—Patella scutellaris, Blainv. Fig. 4.—Patella cochlearia, Fab. Fig. 5.—Patella pectinata, Blainv. Fig. 6.—Patella cymbularia, Blainv. Fig. 7.—Patella deaurata, Chem.  Fig. 1.—Chitch marmoratus, Chem. Fig. 2.—Chiton piceus, Chem.			80 80 80 80 80 80
Plate 30.	Fig. 3.—PATELLA SCUTELLARIS, Blainv. Fig. 4.—PATELLA COCHLEARIA, Fab. Fig. 5.—PATELLA PECTINATA, Blainv. Fig. 6.—PATELLA CYMBULARIA, Blainv. Fig. 7.—PATELLA DEAURATA, Chem.  Fig. 1.—CHITCN MARMORATUS, Chem.			80 80 80 80 80 80 80
Plate 30.	Fig. 3.—Patella scutellaris, Blainv. Fig. 4.—Patella cochlearia, Fab. Fig. 5.—Patella pectinata, Blainv. Fig. 6.—Patella cymbularia, Blainv. Fig. 7.—Patella deaurata, Chem. Fig. 1.—Chiton marmoratus, Chem. Fig. 2.—Chiton piceus, Chem. Fig. 3.—Chiton fascicularis, Blainv.			80 80 80 80 80 80 81 81
Plate 30.	Fig. 3.—Patella scutellaris, Blainv. Fig. 4.—Patella cochlearia, Fab. Fig. 5.—Patella pectinata, Blainv. Fig. 6.—Patella cymbularia, Blainv. Fig. 7.—Patella deaurata, Chem. Fig. 1.—Chiton marmoratus, Chem. Fig. 2.—Chiton piceus, Chem. Fig. 3.—Ghiton fascicularis, Blainv. Fig. 4.—Chiton Lævis, Blainv.			80 80 80 80 80 80 80 81 81 81
Plate 30.	Fig. 3.—Patella scutellaris, Blainv. Fig. 4.—Patella cochlearia, Fab. Fig. 5.—Patella pectinata, Blainv. Fig. 6.—Patella cymbularia, Blainv. Fig. 7.—Patella deaurata, Chem. Fig. 1.—Chitch marmoratus, Chem. Fig. 2.—Chiton piceus, Chem. Fig. 3.—Chiton fascicularis, Blainv. Fig. 4.—Chiton Lævis, Blainv. Fig. 5.—Chiton larvæformis	sea P	23	80 80 80 80 80 80 81 81
Plate 30.	Fig. 3.—Patella scutellaris, Blainv. Fig. 4.—Patella cochlearia, Fab. Fig. 5.—Patella pectinata, Blainv. Fig. 6.—Patella cymbularia, Blainv. Fig. 7.—Patella deaurata, Chem. Fig. 1.—Chiton marmoratus, Chem. Fig. 2.—Chiton piceus, Chem. Fig. 3.—Chiton fascicularis, Blainv. Fig. 4.—Chiton Larvis, Blainv. Fig. 5.—Chiton Larvis, Blainv. Fig. 6.—Coriocella nigra, Blainv. For another view,	see P	. 23,	80 80 80 80 80 80 80 81 81 81
Plate 30.	Fig. 3.—Patella scutellaris, Blainv. Fig. 4.—Patella cochlearia, Fab. Fig. 5.—Patella pectinata, Blainv. Fig. 6.—Patella cymbularia, Blainv. Fig. 7.—Patella deaurata, Chem. Fig. 1.—Chiton marmoratus, Chem. Fig. 2.—Chiton piceus, Chem. Fig. 3.—Chiton piceus, Blainv. Fig. 4.—Chiton Lævis, Blainv. Fig. 5.—Chiton Lævis, Blainv. Fig. 6.—Coriocella nigra, Blainv. Fig. 6.—Coriocella nigra, Blainv. For another view, fig. 12.			80 80 80 80 80 80 81 81 81 81
Plate 30.	Fig. 3.—Patella scutellaris, Blainv. Fig. 4.—Patella cochlearia, Fab. Fig. 5.—Patella pectinata, Blainv. Fig. 6.—Patella cymbularia, Blainv. Fig. 7.—Patella deaurata, Chem. Fig. 7.—Patella deaurata, Chem. Fig. 2.—Chiton piceus, Chem. Fig. 3.—Chiton fascicularis, Blainv. Fig. 4.—Chiton Lævis, Blainv. Fig. 5.—Chiton Larvæformis Fig. 6.—Coriocella nigra, Blainv. For another view, fig. 12. Fig. 7.—Cryptstoma Leachii, Blainv. For another view,			80 80 80 80 80 80 80 81 81 81 81
Plate 30.	Fig. 3.—Patella scutellaris, Blainv. Fig. 4.—Patella cochlearia, Fab. Fig. 5.—Patella pectinata, Blainv. Fig. 6.—Patella cymbularia, Blainv. Fig. 7.—Patella deaurata, Chem. Fig. 1.—Chiton marmoratus, Chem. Fig. 2.—Chiton piceus, Chem. Fig. 3.—Chiton piceus, Blainv. Fig. 4.—Chiton Lævis, Blainv. Fig. 5.—Chiton Lævis, Blainv. Fig. 6.—Coriocella nigra, Blainv. Fig. 6.—Coriocella nigra, Blainv. For another view, fig. 12.			80 80 80 80 80 80 81 81 81 81
	Fig. 3.—Patella scutellaris, Blainv. Fig. 4.—Patella cochlearia, Fab. Fig. 5.—Patella pectinata, Blainv. Fig. 5.—Patella cymbularia, Blainv. Fig. 7.—Patella cymbularia, Blainv. Fig. 7.—Patella deaurata, Chem. Fig. 2.—Chiton marmoratus, Chem. Fig. 2.—Chiton piceus, Chem. Fig. 3.—Chiton fascicularis, Blainv. Fig. 4.—Chiton Lævis, Blainv. Fig. 5.—Chiton larvæformis Fig. 6.—Coriocella nigra, Blainv. For another view, fig. 12. Fig. 7.—Cryptostoma Leachh, Blainv. For another view, 23, fig. 13.			80 80 80 80 80 80 80 81 81 81 81
	Fig. 3.—Patella scutellaris, Blainv. Fig. 4.—Patella cochlearia, Fab. Fig. 5.—Patella pectinata, Blainv. Fig. 6.—Patella cymbularia, Blainv. Fig. 7.—Patella deaurata, Chem. Fig. 7.—Patella deaurata, Chem. Fig. 2.—Chiton piceus, Chem. Fig. 3.—Chiton fascicularis, Blainv. Fig. 4.—Chiton Lævis, Blainv. Fig. 5.—Chiton Larvæformis Fig. 6.—Coriocella nigra, Blainv. For another view, fig. 12. Fig. 7.—Cryptstoma Leachii, Blainv. For another view,			80 80 80 80 80 80 80 81 81 81 81
	Fig. 3.—Patella scutellaris, Blainv. Fig. 4.—Patella cochlearia, Fab. Fig. 5.—Patella pectinata, Blainv. Fig. 6.—Patella cymbularia, Blainv. Fig. 7.—Patella deaurata, Chem. Fig. 1.—Chitch marmoratus, Chem. Fig. 2.—Chiton piceus, Chem. Fig. 3.—Chiton fascicularis, Blainv. Fig. 3.—Chiton Lævis, Blainv. Fig. 4.—Chiton Lævis, Blainv. Fig. 5.—Chiton larvæformis Fig. 6.—Coriocella nigra, Blainv. For another view, fig. 12. Fig. 7.—Cryptostoma Leachii, Blainv. For another view, 23, fig. 13.			80 80 80 80 80 80 80 81 81 81 81 81
	Fig. 3.—Patella scutellaris, Blainv. Fig. 4.—Patella cochlearia, Fab. Fig. 5.—Patella pectinata, Blainv. Fig. 6.—Patella cymbularia, Blainv. Fig. 7.—Patella deaurata, Chem.  Fig. 1.—Chiton marmoratus, Chem. Fig. 2.—Chiton piceus, Chem. Fig. 3.—Chiton piceus, Chem. Fig. 4.—Chiton piceus, Blainv. Fig. 4.—Chiton Lævis, Blainv. Fig. 5.—Chiton lævis, Blainv. Fig. 5.—Chiton lærvæformis Fig. 6.—Coriocella nigra, Blainv. For another view, fig. 12. Fig. 7.—Cryptostoma Leachh, Blainv. For another view, 23, fig. 13.  Fig. 1.—Haliotis canaliculata, Lam. Fig. 2.—Animal of the Haliotide, Cuv.			80 80 80 80 80 80 80 81 81 81 81 81 81
	Fig. 3.—Patella scutellaris, Blainv. Fig. 4.—Patella cochlearia, Fab. Fig. 5.—Patella pectinata, Blainv. Fig. 6.—Patella cymbularia, Blainv. Fig. 7.—Patella deaurata, Chem. Fig. 1.—Chitch marmoratus, Chem. Fig. 2.—Chiton piceus, Chem. Fig. 3.—Chiton fascicularis, Blainv. Fig. 4.—Chiton Lævis, Blainv. Fig. 5.—Chiton larvæformis Fig. 6.—Coriocella nigra, Blainv. For another view, fig. 12. Fig. 7.—Cryptostoma Leachii, Blainv. For another view, 23, fig. 13.  Fig. 1.—Haliotis canaliculata, Lam. Fig. 2.—Animal of the Haliotide, Cuv. Fig. 3.—Stomatia phymosis, Lam.			80 80 80 80 80 80 80 81 81 81 81 81 81 81
	Fig. 3.—Patella scutellaris, Blainv. Fig. 4.—Patella cochlearia, Fab. Fig. 5.—Patella pectinata, Blainv. Fig. 5.—Patella cymbularia, Blainv. Fig. 7.—Patella deaurata, Chem. Fig. 1.—Chiton marmoratus, Chem. Fig. 2.—Chiton piceus, Chem. Fig. 3.—Chiton fascicularis, Blainv. Fig. 4.—Chiton Lævis, Blainv. Fig. 5.—Chiton Lævis, Blainv. Fig. 5.—Chiton Larvæformis Fig. 6.—Coriocella nigra, Blainv. For another view, fig. 12. Fig. 7.—Cryptostoma Leachii, Blainv. For another view, 23, fig. 13.  Fig. 1.—Haliotis canaliculata, Lam. Fig. 2.—Animal of the Haliotide, Cuv. Fig. 3.—Stomatia phymosis, Lam. Fig. 4.—Fissurella annulata, Lam.			80 80 80 80 80 80 80 81 81 81 81 81 81 79
	Fig. 3.—Patella scutellaris, Blainv. Fig. 4.—Patella cochlearia, Fab. Fig. 5.—Patella pectinata, Blainv. Fig. 6.—Patella cymbularia, Blainv. Fig. 7.—Patella deaurata, Chem.  Fig. 1.—Chiton marmoratus, Chem. Fig. 2.—Chiton piceus, Chem. Fig. 3.—Chiton fascicularis, Blainv. Fig. 4.—Chiton lævis, Blainv. Fig. 5.—Chiton lævis, Blainv. Fig. 6.—Coriocella nigra, Blainv. For another view, fig. 12. Fig. 7.—Cryptostoma Leachii, Blainv. For another view, 23, fig. 13.  Fig. 1.—Haliotis canaliculata, Lam. Fig. 2.—Animal of the Haliotide, Cuv. Fig. 3.—Stomatia phymosis, Lam. Fig. 4.—Fissurella annulata, Lam. Fig. 5.—Animal of the Fissurella, Cuv.			80 80 80 80 80 80 80 81 81 81 81 65 78 79 79
Plate 31.	Fig. 3.—Patella scutellaris, Blainv. Fig. 4.—Patella cochlearia, Fab. Fig. 5.—Patella pectinata, Blainv. Fig. 6.—Patella cymbularia, Blainv. Fig. 7.—Patella deaurata, Chem. Fig. 1.—Chiton marmoratus, Chem. Fig. 2.—Chiton piceus, Chem. Fig. 3.—Chiton piceus, Chem. Fig. 4.—Chiton hævis, Blainv. Fig. 5.—Chiton lævis, Blainv. Fig. 5.—Chiton lævis, Blainv. Fig. 5.—Chiton læris, Blainv. For another view, fig. 12. Fig. 7.—Cryptostoma Leachh, Blainv. For another view, 23, fig. 13.  Fig. 1.—Haliotis canaliculata, Lam. Fig. 2.—Animal of the Haliotide, Cuv. Fig. 3.—Stomatia phymosis, Lam. Fig. 4.—Fissurella annulata, Lam. Fig. 4.—Animal of the Fissurella, Cuv. Fig. 6.—Animal of the Emarginule, Cuv.			80 80 80 80 80 80 80 81 81 81 81 81 81 79
Plate 31.	Fig. 3.—Patella scutellaris, Blainv. Fig. 4.—Patella cochlearia, Fab. Fig. 5.—Patella pectinata, Blainv. Fig. 6.—Patella cymbularia, Blainv. Fig. 7.—Patella deaurata, Chem.  Fig. 1.—Chiton marmoratus, Chem. Fig. 2.—Chiton piceus, Chem. Fig. 3.—Chiton fascicularis, Blainv. Fig. 4.—Chiton lævis, Blainv. Fig. 5.—Chiton lævis, Blainv. Fig. 6.—Coriocella nigra, Blainv. For another view, fig. 12. Fig. 7.—Cryptostoma Leachii, Blainv. For another view, 23, fig. 13.  Fig. 1.—Haliotis canaliculata, Lam. Fig. 2.—Animal of the Haliotide, Cuv. Fig. 3.—Stomatia phymosis, Lam. Fig. 4.—Fissurella annulata, Lam. Fig. 5.—Animal of the Fissurella, Cuv.			80 80 80 80 80 80 80 81 81 81 81 65 78 79 79
Plate 31.	Fig. 3.—Patella scutellaris, Blainv. Fig. 4.—Patella cochlearia, Fab. Fig. 5.—Patella pectinata, Blainv. Fig. 6.—Patella cymbularia, Blainv. Fig. 7.—Patella deaurata, Chem. Fig. 1.—Chiton marmoratus, Chem. Fig. 2.—Chiton piceus, Chem. Fig. 3.—Chiton fascicularis, Blainv. Fig. 4.—Chiton Lævis, Blainv. Fig. 5.—Chiton larvæformis Fig. 6.—Coriocella nigra, Blainv. For another view, fig. 12. Fig. 7.—Cryptostoma Leachii, Blainv. For another view, 23, fig. 13.  Fig. 1.—Haliotis canaliculata, Lam. Fig. 2.—Animal of the Haliotide, Cuv. Fig. 3.—Stomatia phymosis, Lam. Fig. 4.—Fissurella annulata, Lam. Fig. 5.—Animal of the Emarginule, Cuv. Fig. 6.—Animal of the Patelle, Cuv. Fig. 7.—Animal of the Patelle, Cuv.			80 80 80 80 80 80 80 81 81 81 81 81 65 65
Plate 31.	Fig. 3.—Patella scutellaris, Blainv. Fig. 4.—Patella cochlearia, Fab. Fig. 5.—Patella pectinata, Blainv. Fig. 6.—Patella cymbularia, Blainv. Fig. 7.—Patella deaurata, Chem. Fig. 1.—Chiton marmoratus, Chem. Fig. 2.—Chiton piceus, Chem. Fig. 2.—Chiton piceus, Chem. Fig. 3.—Chiton fascicularis, Blainv. Fig. 4.—Chiton lævis, Blainv. Fig. 5.—Chiton lævis, Blainv. Fig. 5.—Chiton larvæformis Fig. 6.—Coriocella nigra, Blainv. For another view, fig. 12. Fig. 7.—Cryptostoma Leachii, Blainv. For another view, 23, fig. 13.  Fig. 1.—Haliotis canaliculata, Lam. Fig. 2.—Animal of the Haliotide, Cuv. Fig. 3.—Stomatia phymosis, Lam. Fig. 4.—Fissurella annulata, Lam. Fig. 5.—Animal of the Emarginule, Cuv. Fig. 6.—Animal of the Emarginule, Cuv. Fig. 7.—Animal of the Patelle, Cuv. Fig. 8.—Patella lugubris, Blainv.			80 80 80 80 80 80 81 81 81 81 65 65 78 79 79 79
Plate 31.	Fig. 3.—Patella scutellaris, Blainv. Fig. 4.—Patella cochlearia, Fab. Fig. 5.—Patella pectinata, Blainv. Fig. 6.—Patella cymbularia, Blainv. Fig. 7.—Patella deaurata, Chem. Fig. 1.—Chiton marmoratus, Chem. Fig. 2.—Chiton piceus, Chem. Fig. 3.—Chiton fascicularis, Blainv. Fig. 4.—Chiton Lævis, Blainv. Fig. 5.—Chiton larvæformis Fig. 6.—Coriocella nigra, Blainv. For another view, fig. 12. Fig. 7.—Cryptostoma Leachii, Blainv. For another view, 23, fig. 13.  Fig. 1.—Haliotis canaliculata, Lam. Fig. 2.—Animal of the Haliotide, Cuv. Fig. 3.—Stomatia phymosis, Lam. Fig. 4.—Fissurella annulata, Lam. Fig. 5.—Animal of the Emarginule, Cuv. Fig. 6.—Animal of the Patelle, Cuv. Fig. 7.—Animal of the Patelle, Cuv.			80 80 80 80 80 80 80 81 81 81 81 81 65 65

MOLLUSCA.		Vol.	III.	Page
Plate 31. bis. Fig. 1.—HINNITES DUBUISSONII, Bl.				. še
Fig. 2.—Plagiostoma punctata. Sow.				. 87
Fig. 3.—Pachytos spinosus, Cuv. Bl.				. 87
Fig. 4.—DIANCHORA STRIATA, Sow.				. 87
Fig. 5.—Podopsis truncata, Lam.				. 87
Fig. 6.—Anomia ephippium, Lam.		•		. 87
Fig. 7.—PLACUNA PLACENTA, Brug.	•	•		0.0
Fig. 8.—Spondylus Americanus, Lam.		•		
	•	•		. 88
Fig. 9.—PLICATULA CRISTATA, Lam.		•		. 88
Fig. 10.—Vulsella lingulata, Lam.	•	•		. 89
T)]_4. 90 T! 1 T)				0.0
Plate 32. Fig. 1.—RADIOLITES TURBINATA, Lam.	•	•		. 83
Fig. 2.—CALCEOLA SANDALINA, Lam.	•		•	. 84
Fig. 3.—SPHERULITES JOUANNETH, Desm.	•	•		. 84
Fig. 4.—Spherulites crateriformis, Desm.				. 81
Fig. 5.—Hippurites cornu-pastoris, Desm.				. 84
Fig. 6.—GRYPHÆA ARCUATA, Lam.				. 85
Fig. 7.—OSTREA CRISTA-GALLI, Lam.				. 85
Fig. 8.—OSTREA EDULIS, Lam				. 84
Fig. 9.—PEDUM SPONDYLOIDEUM .				. 86
Fig. 10.—Pecten gibbosus, Lam		•		. 80
Fig. 11.—LIMA GLACIALIS, Lam.	•			. 86
rig. 11.—Lima Glacialis, Lain.	'	•		. 00
2nd Dista 99 Fig. 1 Company of the Tom				0.0
2nd. Plate 32. Fig. 1.—CARDITA CALYCULATA, Lam.			T	. 96
Fig. 2.—Joint of the Shell of CYPRICARDIA	GUIN	AICA,	Lam	
Fig. 3.—Coralliophaga carditoides, Bl.		•		. 96
Fig. 4.—Joint of the Shell of VENERICAL	RDIA	SUL	CATA	
Payr.	•			. 96
Fig. 5.—Crassatella sulcata, Lam.		•		. 96
Fig. 6.—Tridacna gigas, Lam.				. 98
Fig. 7.—HIPPOPUS MACULATUS, Lam.				. 98
Fig. 8.—CHAMA CROCEATA, Lam.				. 98
,				
Plate 32. bis. Fig. 1.—HIPPURITES CORNUCOPIA, Def.				. 84
Fig. 2.—HIPPURITES BILOCULARIS, Lam.				. 84
Fig. 3.—HIPPURITES SULCATA, Def. Attached	to a `	Нтррі	TRIT	
BILOCULARIS	to u .		CHILI	
BILOCOLARIS		•		. 84
2nd Dieto 22 his Eig 1 Marrays was dance Lam				0.0
2nd Plate 32. bis. Fig. 1.—Malleus vulgaris, Lam.		•		. 88
Fig. 2.—Perna ephippium, Lam.	•	•		. 89
Fig. 3.—CRENATULA AVICULARIS, Lam.		• '		. 89
Fig. 4.—GERVILIA SOLENOIDES, Def.	•		•	. 89
Fig. 5.—Inoceramus sulcatus, Cuv.		•		. 90
Fig. 6.—CATILLUS CUVIERII, Brong.	•			. 90
Fig. 7.—Pulvinites Adansonii, Defr.		•		. 90
Fig. 8.—Etheria elliptica, Lam.	•		•	. 90
3rd. Plate 32. bis. Fig. 1.—Strygocephala Burtinii, Def.			,	. 117
Fig. 2.—STROPHOMENA RUGOSA, Rafin.				. 117
Fig. 3.—Spirifera trigonalis, Sow.				. 117
and of Strate Barners, we we				,
Plate 32. ter. Fig. 1.—SPHERULITES FOLIACIA, Lain.				. 84
		•		. 84
Fig. 2.—CALCEOLA HETEROCLITA, Def.	•		•	
Fig. 3.—Ostrea margaritacea, Bl.		•		. 84
0 1 D1 1 00 1 m' 1 m				17.
2nd. Plate 32, ter Fig. 1.—Terebratula digona, Bl.	•		•	. 117
Fig. 2.—Terebratula globosa, Bl.		•		. 117
Fig. 3.—Terebratula difformis, Bl.			•	· 117
				C

MOLLUSCA.	Val	III.	Daga
2nd. Plate 32. ter. Fig. 4Terebratula alata, Bl.	101.		117
Fig. 5.—Terebratula rubra, Bl.	•		. 117
Fig. 6.—TEREBRATULA CAPUT SERPENTIS, Bl.		٠,	117
Fig. 7.—TEREBRATULA LYRA, Bl.			117
Fig. 8.—Terebratula canalifera, Bl.			117
Fig. 9.—Spirifera Sowerbeii, Def		• (	117
Plate 33 Fig. 1 Avyovr a remanagement Tom			91
Plate 33. Fig. 1.—AVICULA HETEROPTERA, Lam.	*	ritaga	
Fig. 2.—PINTADINA MARGARITIFERA, Lam.; Mytilus r ous, Lin.	narga	mace	90
Fig. 3.—PINTADINA MARGARITIFERA, Lam. Taken fr	om a	voung	
subject	•	, 6	90
Fig. 4.—Pinna angustana, Lam			91
Fig. 5.—Arca granosa, Lam	•		. 92
Fig. 6.—Pectunculus pilosus, Lam.			. 92
Fig. 7.—Nucula emarginata, Lam.	•		92
Fig. 8.—Trigonia pectinata. Lam.		•	. 93
2nd Plate 22 Fig. 1 Dropping anymous Tom			. 98
2nd. Plate 33. Fig. 1.—DICERAS ARIETINA, Lam. Fig. 2.—ISOCARDIA DUSSUMIERII, Val. In the	· colleg	tion o	
the French Museum	correc	tion o	98
Fig. 3.—Cardium fimbriatum, Lam.		•	99
Fig. 4.—Donax Hilairea, Val. In the collection	tion	of the	
French Museum	, tion		. 100
Fig. 5.—Cyclas cornea, Lam.		•	. 100
Fig. 6.—CYRENA CEYLANICA, Lam.			. 100
Fig. 7.—CYPRINA GIGAS, Lam.			. 101
Fig. 8.—GALATHEA RADIATA, Lam.		•	. 101
Th. 00 11 m. 1 D			^7
Plate 33. bis. Fig. 1.—PINNA NOBILIS, Lin	•		. 91
Fig. 2.—Arca Noæ, Chem.		•	. 92
Fig. 3.—Arca Barbara, Chem.	•		. 92 . 92
Fig. 4.—Arca Tortuosa, Chem		•	. 92
Fig. 5.—Arca marmorata, Chem Fig. 6.—Arca mytiloidea, Bl	•		. 92
rig. 0.—ARCA MATILOTDEA, Di.			
Plate 34. Fig. 1.—MYTILUS EDULIS, Lin. (The Common Muscle)			. 94
Fig. 2.—MYTILUS BILOCULARIS, Lin.			. 94
Fig. 3.—Modiolus papuensis, Bl.	•		. 94
Fig. 4.—Lithodomus lithophagus, Lin. Cuv		•	. 94
Fig. 5 Anodonta cygnea, Lam.	•		. 95
Fig. 6.—Unio pictorum, Lin.		•	. 95
Fig. 7.—Unio caridiacea, Say	•		. 95
Fig. 8.—Hyria avicularia, Lam.		•	. 96
Fig. 9.—Castalia ambigua, Lam.	•		. 96
Plate 34. bis. Fig. 1.—DIANCHORA STRIATA, Sow			. 87
Fig. 2.—Plagiostoma spinosa, Bl.			. 87
Fig. 3.—Podopsis truncata			. 87
Fig. 4.—Orbicula Lævis, Bl.; Patella anomala, I	Müll.		. 118
Fig. 5.—HINNITES CORTESII, Def.			. 86
Ploto 25 Nin 1 Company of the Cham			101
Plate 35. Fig. 1.—CYPRINA ISLANDICA, Chem.		•	. 101 . 98
Fig. 2.—CHAMA GRYPHOIDES, Chem.	•		. 98
Fig. 3.—CHAMA GIGAS, Chem.		•	. 99
Fig. 4.—CARDIUM EDULE, Lin.	•		. 99
Fig. 5.—Cardium Hemicardium, Chem. Fig. 6.—Isocardia cor, Lam.		•	. 98

MOLLUSCA.	Vol.	III.	Page
Plate 35. bis. Fig. 1.—Donax scortum. Bl.			. 100
Fig. 2.—Donax anaticum, Bl.			. 100
Fig. 3.—Donax Brasiliensis, Bl.			100
Fig. 4.—Tellina radiata, Bl.			101
Fig. 5.—Tellina cornea, Lin			100
Plate 36. Fig. 1.—Tellina timorensis, Lam			102
Fig. 2.—Corbis fimbriata, Lam.			101
Fig. 3.—CYRENA CEYLANICA, Lam.			100
Fig. 4.—VENUS DECUSSATA, Lam.			103
Fig. 5.—VENUS CORBIS, Lam.			103
Fig. 6.—Venus puerpera, Encyc.		·	103
• • • • • • • • • • • • • • • • • • •		Ĭ	
Plate 36. bis. Fig. 1.—Anadonta dipsas, Lam. Lacep.			95
Fig. 2.—Unio sinuata, Lam			95
Fig. 3.—Castalia ambigua, Lam. For another view	see P	1. 34	
Plate 37. Fig. 1.—Tellina lingua-felis. Lam			101
Fig. 2.—Joint of the Shell of Corbis FIMBRIATA, Lam.	•		101
Fig. 3.—Loripes lactea, Lam.			102
Fig. 4.—Lucina Jamaicensis, Lam.	•		102
Fig. 5.—Venus dione, Lin.	•		103
Fig. 6.—Joint of the Shell of Venus CHIONE, Lam.	'		103
Fig. 7.—Venus damoniensis. Lam.	•		103
Fig. 8.—Venus exoleta, Lam.			103
Fig. 9.—Joint of the Shell of Capsa Brasiliensis, Lam.	•	-	104
Fig. 10.—Petricola Lucinalis, Lam.	1		104
Fig. 11 .— Leint of the Shell of Copput A AUSTRALIS Lam			104
Fig. 11.—Joint of the Shell of Corbula Australis, Lam.			104
Fig. 12.—Mactra Brasiliana, Lam.	•	•	104
Plate 37. bis. Fig. 1.—VENUS CHIONE, Lin			103
Figs. 2, 3, 4, 5.—Various positions of the Shell of Ven	US CHI	ONE	103
rigs. 2, 5, 4, 5.— various positions of the Shell of view	оз спи	ONE	103
Plate 37. ter. Fig. 1.—VENUS LÆTA, Lam.			103
Fig. 9. Vinne memoria Lam	•		I04
Fig. 2.—Venus Tigerrina, Lam.			104
Fig. 3.—VENUS PECTINATA, Lam.	•		104
Fig. 4.—VENUS GRANULATA, Lam.			
Fig. 5.—VENUS FLEXUOSA, Lam.	•		104
Fig. 6.—Venus casina, Chem.		• 1	104
Plate 39 Fig. 1 May - Provider Tom		1	06
Plate 38. Fig. 1.—Mya Truncata, Lam,	•	_	
Fig. 2.—LUTRARIA ELLIPTICA, Lam.	•	_	06
Fig. 3.—Anatina hispidula . Fig. 4.—Glycimeris siliqua, Lin. Taken from an un	nublich	٠. <u>۱</u>	06
drawing by M Andonin	Juonsn	.eu	OC
drawing by M. Audouin	. •	. ]	
Fig. 5.—Joint of the Shell of PANOPEA ALDROVANDI, Lam	1.	. 1	
Fig. 6.—Byssomia pholadis, Mull.			0 <b>7</b>
Fig. 7.—HIATELLA ARCTICA, Fab. Bosc.	•		07
Fig. 8.—Solen Vagina, Lam.	•		80
Fig. 9.—SANGUINOLARIA LIVIDA, Lam.			08
Fig. 10.—PSAMMOTHEA CANDIDA, Lam.	•	. 1	08
21.4. 20 T2: 1 (1 Cl			00
Plate 39. Fig. 1.—Solen cultellus, Chem.	•		08
Fig. 2.—Solen strigilatus, Chem.		. 10	
Fig. 3.—Solen Legumen, Chem.	•	. 10	
Fig. 4.—PSAMMOBIA VIRGATA, Lam.		. 10	
Fig. 5.—Psammothea violacea, Lam.	•	_	)8
Fig. 6.—PHOLAS COSTATA, Lin.			)9
Fig. 7 — Photas crispata Lin		10	M

	MOLLUSCA.	Vol. III.	
Plate 40.	Fig. 1.—SANGUINOLARIA RUGOSA	•	. 108
	Fig. 2.—SANGUINOLARIA OCCIDENS, Lam.		. 108
	Fig. 3.—Solemya Australis, Lam.	•	. 106
	Fig. 4.—GLYCIMERA INCRASSATA, Chem. Lam.		. 106
	Fig. 5.—ASPERGILLUM JAVANUM, Chem		. 111
	Fig. 6.—FISTULANA CORNIFORMIS, Lam		. 110
	Fig. 7.—CLAVAGELLA TIBIALIS, Lam.	•	. 110
	Fig. 8.—TEREDO PALMULATUS, Lam		. 109
	Fig. 9.—GASTROCHÆNA CLAVA	•	. 110
Plate 41.	Fig. 1.—Pholas striata, Lam.		. 109
	Fig. 2.—TEREDO NAVALIS, Lin.		. 109
	Fig. 3.—FISTULANA GREGATA, Lam		. 110
	Fig. 4.—Gastrochæna cuneiformis, Lam		. 110
	Fig. 5.—TEREDINA PERSONATA, Lam.		. 110
	Fig. 6.—CLAVAGELLA CORONATA, Desh		. 110
	Fig. 7.—Aspergilbum vaginiferum, Lam. Sav.; Arro	soir à Mar	1-
	chettes, Savigny's Egypt.		. 111
Plate 42.	Fig. 1.—Thalia cristata, Cuv		. 112
	Fig. 2.—Salpa scutigera, Cuv		. 113
	Fig. 3.—Salpa infundibuliformis, Quoy and Gaym.	•	. 113
	Fig. 4.—SALPA TRICUSPIS, Quoy and Gaym		. 113
	Fig. 5.—SALPA LONGICAUDA, Quoy and Gaym.		. 113
	Fig. 6.—SALPA FUSIFORMIS, Cuv		. I13
	Fig. 7.—Salpa zonaria, Bl		. 113
	Fig. 8.—SALPA CYLINDRICA, Cuv.		. 113
	Fig. 9.—SALPA PYRAMIDALIS, Quoy and Gaym.		. 113
	Fig. 10.—BOLTENIA OVIFERA, Sav		. 114
	Fig. 11.—CYNTHIA MOMUS, Sav.		. 114
	Fig. 12.—PHALLUSIA NIGRA, Sav		. 114
	Fig. 13.—CLAVELLINA BOREALIS, Sav		. 114
Plate 43.	Fig. 1.—Botryllus polycyclus, Sav		. 114
	Fig. 2.—Pyrosoma Rufum, Quoy and Gaym.		. 115
	Fig. 3.—Details of the Pyrosoma GIGANTEUM, Les.		. 115
	Fig. 4.—Polyclinum constellatum, Sav		. 115
	Fig. 5.—Eucælium hospitiolum, Sav.		. 115
	Fig. 6.—APLIDIUM LOBATUM, Sav		. 115
2nd. Pla	ate 43. Fig. 1.—Anatifa Lævis, Lam.	4	. 119
211/2. 1 10	Fig. 2.—Pollicipes cornucopia, Lam.		. 120
	Fig. 3.—Pollicipes mitella, Lam.		. 120
	Fig. 4.—Pollicipes scalpellum, Lam.		. 120
	Fig. 5.—CINERAS VITTATA, Leach.	•	120
	Fig. 6.—Otion Cuvierii, Leach.		. 120
	Fig. 7.—TETRALESMIS HIRSUTUS, Cuv.		. 120
	Fig. 8.—TRITON ALEPSIS, Rang.; T. fasciculatus,	Lesson.	. 120
	,,		
Plate 49	3. ter. Fig. 1.—Ascidia microscomus		. 113
I INIC TO	Fig. 2.—Ascidia intestinalis, Bohatsch	•	. 113
	Fig. 3.—DISTOMA VARIOLATUS	•	. 114
	Fig. 4.—Botrylla stellatus, Desm.	•	. 115
	Fig. 5.—Synoicum ficus, Ellis.	•	. 116
	Fig. 6.—Synoicum turgens, Desm.	•	. 116
	Fig. 7.—SALPA POLOMORPHA, Quoy and Gaym.	•	. 116
	Fig. 8.—Salpa firoloidea	•	. 116
	Fig. 9.—SALPA BICORNIS, Chem.	•	
	z.o. o. Duni u proprinto, onem.	•	. 116

	MOLLUSUA.	Vol. 1	II. Page
Plate 44.	Fig. 1.—LINGULA ANATINA, Cuv		. 116
	Fig. 1.—Lingula anatina, Cuv. Fig. 2.—Terebratula Gaudichaudii, Val. Col. Mus.		. 117
	Fig. 3.—Spirifer trigonalis, Sow		. 117
	Fig. 4.—Orbicula Lævigata, Bl.; Patella anomala,	Müll.	For
	another view see Pl. 34. bis. fig. 4.		. 118
	Fig. 5.—CRANIA PERSONATA, Lam.		. 118
	,	·	-
2nd. Plat	te 44. Fig. 1.—BALANUS OVULARIS, Lam.		. 120
	Fig. 2.—Animal of the BALANUS SULCATUS, Lam.		. 120
	Fig. 3.—ACASTA SPINOSULA, Desh.	•	. 120
	Fig. 4.—Acasta Montaguii, Leach.	•	. 121
		•	191
	Fig. 5.—CONIA RADIATA, Bl.		. 121
	Fig. 6.—Asemus porosus; Lepas porosus, Gm. Cu	٧.	. 121
	Fig. 7.—Pyrgoma cancellata, Leach.	•	. 121
	Fig. 8.—The same from a drawing by M. Savigny	•	. 121
	Fig. 9.—Creusia spinosula, Leach.	•	. 12I
	Fig. 10.—CHTHAMALUS STELLATUS, Poli.	•	. 121
	Fig. 11.—The same from a drawing by Blainville	•	. 121
	Fig. 12.—Ochthosia stræmii, Ranz.	•	. 121
	Fig. 13.—Coronula bolænaris, Lam.		. 121
	Fig. 14.—Tubicinella Balænarum, Lam.		. 121
	Fig. 15 DIADEMA, Ranz.; Coronula diadema, L	am.	. 122
	, ,		
Plate 44	. ter. Fig. 1.—BALANUS SPINOSUS		. 121
	Fig. 2.—BALANUS GIGAS		. 121
	Fig. 3.—BALANUS SPONGITES; Acasta Montagui, I	anch	. 121
	Fig. 4.—Coronula testudinaria, Chem.	zcucii,	. 121
	Fig. 5.—Coronula Balanarum, Chemn.	•	. 121
	Fig. C. Drawn I Protect Pl	•	
	Fig. 6.—Pentalepas Lævis, Bl.	•	. 121
	Fig. 7.—Pentalepas pollicipes, Bl.	•	. 120
	Fig. 8.—Polylepas vulgaris, Bl.	•	. 120
	Fig. 9.—Lythotrias Sowerbeil	•	. 120
	-e(o@e(o-		
	ANNETTOES		
	ANNELIDES.		
	A NINTER TIMES	77.3 Y	TT 70
751.4 Y	ANNELIDES.	V 01. 1	II. Page
Plate 1.	Fig. 1.—SERPULA CONTORTUPLICATA, Cuv.	~ •	. 128
	Fig. 2.—SERPULA COSTALIS, Lam.; Serpula vermicularis	s. Gm.	. 128
	Fig. 3.—The Operculum of SERPULA STELLATA, Cuv. Al	oildg.	. 129
	Fig. 4.—The Operculum of SERPULA BICORNIS, Cuv. Ab	ildg.	. 129
	Fig. 5.—Sabella Protula, Cuv	•	. 129
	Fig. 6.—Spirorbis nautiloides, Lam.; Serpula spirille	ım, Pall	129
Plate 2.	Fig. 1.—Terebella variabilis, Risso .		. 131
	Fig. 2.—Terebella medusa, Sav.		. 130
	Fig. 3.—Amphitrite Ægyptia, Cuv. Sav.		. 132
			•
Plate 3.	Fig. 1.—Dentalium entalis, Lin		. 133
	Fig. 2.—SIPHOSTOMA DIPLOCHAITOS, Otto .		. 132
	Fig. 3.—Anatomical details of the SIPHOSTOMA UNCINAT.	And S	F4 139
	16. 5. Milatomical actains of the off hostown Unchar.	., mu. c	* 13u. 132
Plate 4	Fig. 5.—Arenicola piscatorum, Cuv.		122
Tiute 4.	Fig. 9. Depressed ALCONIA San	•	. 133
	Fig. 2.—PLEYONE ALCYONIA, Sav.	•	. 134
Dlota 4	Li Ti I Disconnective Con Con-		101
riate 4.	bis. Fig. 1.—EUPHROSINE LAUREATA, Sav. Cuv.	•	. 134
	Fig. 2.—Branchiæ of the EUPHROSINE MIRTOSA, San		. 134
	Fig. 3.—Hipponoe Gaudichaudii, Aud. Cuv.	•	. 134

ANNELIDES. Vol.	III. Page
Plate 5. Fig. 1.—EUNICE ANTENNATA, Sav.; Leodice, Sav.	. 134
Fig. 2.—EUNICE SANGUINEA, LAUR. Fig. 3.—EUNICE TUBICOLA, Muller	. 135
rig. 5.—Howicz Telleotz, maner	• 100
Plate 6. Fig. 1.—ŒNONE LUCIDA, Sav	. 135
Fig. 2.—AGLAURA FULGIDA, Sav.	. 135
Plate 7. Fig. 1.—Nereis nuntia, Sav. With Anatomical details.	. 135
Plate 8. Fig. 1.—Syllis monitaris, Sav	. 137
Fig. 2.—Lumbrinera Orbignyi, Ed.; Lumbricus fragilis, Mul Fig. 3.—Hesione splendida, Sav.	l 137 . 138
Plate 9. Fig. 1.—APHRODITA ACULEATA, Baster, Lin	. 139
Fig. 2.—Anatomical details of the APHRODITA HISTRIX, Sav.	. 139
Fig. 3.—POLYNOE IMPATIENS, Sav.	. 139
Fig. 4.—Polynoe Lævis, Ed.	. 139
Plate 10. Fig. 1.—CLYMENE AMPHISTOMA, Sav	. 142
Fig. 2.—Sanguisuga officinalis, Sav.	. 142
Fig. 3.—Sanguisuga medicinalis, Lin. (The Common Leach) Fig. 4.—Bdella nilotica, Sav.	. 143
Fig. 5.—Mouth of the Hæmopis sanguisorba, Lin. (The H	
Leach) .	. 144
030	
CRUSTACEA.	
CRUSTACEA. Vol. I	II. Page
Plate I. Fig. 1.—Shell of the CANCER MCENAS, Lin. a, a.—Region of	the
Stomach. b.—Genital region. c.—Region of the Ho	
d.—Region of the posterior Hepatic. e, e.—Region the Branchiæ. $f, f$ —Region of the anterior Hepatic	1 01
Fig. 2.—Interior of CANCER MCENAS, Lin. a, a, a, a.—Stomach.	
b.—Organs of Generation. c.—Heart. d, d.—Branc	hiæ.
e, f, f.—Liver	
Fig. 3 — The Cook Fish a — Region of the Stomach h — C	. 157
e, f, f.—Liver.  Fig. 3.—The Crab-Fish. a.—Region of the Stomach. b.—G tal region. c.—Region of the Heart. d.—Region of	eni-
tal region. c.—Region of the Heart. d.—Region of posterior Hepatic. e, e.—Region of the Branchiæ	eni- '.he . 157
tal region. c.—Region of the Heart. d.—Region of posterior Hepatic. e, e.—Region of the Branchiæ Fig. 4.—Interior of The Crab-Fish. a, a.—Stomach. b.—Org	eni- '.he . 157 gans
tal region. c.—Region of the Heart. d.—Region of posterior Hepatic. e, e.—Region of the Branchiæ Fig. 4.—Interior of The Crab-Fish. a, a.—Stomach. b.—Org of Generation. c.—Heart. d, d, d, d.—Liver. e, c	eni- '.he . 157 gans
tal region. c.—Region of the Heart. d.—Region of posterior Hepatic. e, e.—Region of the Branchiæ Fig. 4.—Interior of The Crab-Fish. a, a.—Stomach. b.—Org	eni- '.he . 157 gans
tal region. c.—Region of the Heart. d.—Region of posterior Hepatic. e, e.—Region of the Branchiæ  Fig. 4.—Interior of The Crab-Fish. a, a.—Stomach. b.—Org of Generation. c.—Heart. d, d, d, d.—Liver. e, of Branchiæ  Plate 2. Fig. I.—Mutata Peronii, Leach	eni- '.he . 157 gans 2.— . 157
tal region. c.—Region of the Heart. d.—Region of posterior Hepatic. e, e.—Region of the Branchiæ  Fig. 4.—Interior of The Crab-Fish. a, a.—Stomach. b.—Org of Generation. c.—Heart. d, d, d, d.—Liver. e, d. Branchiæ  Plate 2. Fig. I.—Митата Реконі, Leach Fig. 2.—Окутнія маміцьякі, Fab.	eni- , he , 157 gans , 157 , 163 , 163
tal region. c.—Region of the Heart. d.—Region of posterior Hepatic. e, e.—Region of the Branchiæ  Fig. 4.—Interior of The Crab-Fish. a, a, —Stomach. b.—Org of Generation. c.—Heart. d, d, d, d.—Liver. e, d. Branchiæ  Plate 2. Fig. I.—MUTATA PERONII, Leach Fig. 2.—Orythia mamillaris, Fab. Fig. 3.—Podophtalmus vigil, Latr. Fab.	eni- , he , 157 gans , 157 , 163 , 163 , 164
tal region. c.—Region of the Heart. d.—Region of posterior Hepatic. e, e.—Region of the Branchiæ  Fig. 4.—Interior of The Crab-Fish. a, a.—Stomach. b.—Org of Generation. c.—Heart. d, d, d, d.—Liver. e, d. Branchiæ  Plate 2. Fig. I.—Митата Реконі, Leach Fig. 2.—Окутнія маміцьякі, Fab.	eni- , he , 157 gans , 157 , 163 , 163 , 164 , 164
tal region. c.—Region of the Heart. d.—Region of posterior Hepatic. e, e.—Region of the Branchiæ  Fig. 4.—Interior of The Crab-Fish. a, a.—Stomach. b.—Org of Generation. c.—Heart. d, d, d, d.—Liver. e, of Branchiæ  Plate 2. Fig. I.—Митата Реголи, Leach Fig. 2.—Окутны маминдаки, Fab. Fig. 3.—Ророрнтанмиз унди, Latr. Fab. Fig. 4.—Thalamites Admete, Latr.  Plate 3. Fig. 1.—Митата унсток, Fab.	eni- '.he . 157 gans . 157 . 163 . 163 . 164 . 164
tal region. c.—Region of the Heart. d.—Region of posterior Hepatic. e, e.—Region of the Branchiæ  Fig. 4.—Interior of The Crab-Fish. a, a.—Stomach. b.—Orgof Generation. c.—Heart. d, d, d, d.—Liver. e, d. Branchiæ  Plate 2. Fig. I.—Mutata Peronii, Leach Fig. 2.—Orythia mamillaris, Fab. Fig. 3.—Podophtalmus vigil, Latr. Fab. Fig. 4.—Thalamites Admete, Latr.  Plate 3. Fig. 1.—Mutata victor, Fab. Fig. 2.—Cancer hastata, Herbst.	eni- '.he . 157 gans . 157 . 163 . 163 . 164 . 164 . 163 . 165
tal region. c.—Region of the Heart. d.—Region of posterior Hepatic. e, e.—Region of the Branchiæ  Fig. 4.—Interior of The Crab-Fish. a, a.—Stomach. b.—Org of Generation. c.—Heart. d, d, d, d.—Liver. e, of Branchiæ  Plate 2. Fig. I.—Митата Реголи, Leach Fig. 2.—Окутны маминдаки, Fab. Fig. 3.—Ророрнтанмиз унди, Latr. Fab. Fig. 4.—Thalamites Admete, Latr.  Plate 3. Fig. 1.—Митата унсток, Fab.	eni- '.he . 157 gans . 157 . 163 . 163 . 164 . 164
tal region. c.—Region of the Heart. d.—Region of posterior Hepatic. e, e.—Region of the Branchiæ  Fig. 4.—Interior of The Crab-Fish. a, a.—Stomach. b.—Org of Generation. c.—Heart. d, d, d, d.—Liver. e, of Branchiæ  Plate 2. Fig. I.—Mutata Peronii, Leach Fig. 2.—Orythia mamillaris, Fab. Fig. 3.—Podophtalmus vigil, Latr. Fab. Fig. 4.—Thalamites Admete, Latr.  Plate 3. Fig. 1.—Mutata victor, Fab. Fig. 2.—Cancer hastata, Herbst. Fig. 3.—Polybius Henslowii, Leach  Plate 4. Fig. 1.—Cancer puber, Lin.	eni- '.he . 157 gans . 157 . 163 . 163 . 164 . 164 . 163 . 165 . 163
tal region. c.—Region of the Heart. d.—Region of posterior Hepatic. e, e.—Region of the Branchiæ  Fig. 4.—Interior of The Crab-Fish. a, a.—Stomach. b.—Orgof Generation. c.—Heart. d, d, d, d.—Liver. e, of Branchiæ  Plate 2. Fig. I.—MUTATA PERONII, Leach Fig. 2.—ORYTHIA MAMILLARIS, Fab. Fig. 3.—PODOPHTALMUS VIGIL, Latr. Fab. Fig. 4.—THALAMITES ADMETE, Latr.  Plate 3. Fig. 1.—MUTATA VICTOR, Fab. Fig. 2.—CANCER HASTATA, Herbst. Fig. 3.—POLYBIUS HENSLOWII, Leach  Plate 4. Fig. 1.—CANCER PUBER, Lin. Fig. 2.—PORTUNUS MARMOREUS, Leach	eni- '.he . 157 gans . 157 . 163 . 163 . 164 . 164 . 163 . 165 . 165 . 165
tal region. c.—Region of the Heart. d.—Region of posterior Hepatic. e, e.—Region of the Branchiæ  Fig. 4.—Interior of The Crab-Fish. a, a.—Stomach. b.—Org of Generation. c.—Heart. d, d, d, d.—Liver. e, of Branchiæ  Plate 2. Fig. I.—Mutata Peronii, Leach Fig. 2.—Orythia mamillaris, Fab. Fig. 3.—Podophtalmus vigil, Latr. Fab. Fig. 4.—Thalamites Admete, Latr.  Plate 3. Fig. 1.—Mutata victor, Fab. Fig. 2.—Cancer hastata, Herbst. Fig. 3.—Polybius Henslowii, Leach  Plate 4. Fig. 1.—Cancer puber, Lin.	eni- '.he . 157 gans . 157 . 163 . 163 . 164 . 164 . 163 . 165 . 163
tal region. c.—Region of the Heart. d.—Region of posterior Hepatic. e, e.—Region of the Branchiæ  Fig. 4.—Interior of The Crab-Fish. a, a.—Stomach. b.—Orgof Generation. c.—Heart. d, d, d, d.—Liver. e, of Branchiæ  Plate 2. Fig. I.—MUTATA PERONII, Leach Fig. 2.—ORYTHIA MAMILLARIS, Fab. Fig. 3.—PODOPHTALMUS VIGIL, Latr. Fab. Fig. 4.—THALAMITES ADMETE, Latr.  Plate 3. Fig. 1.—MUTATA VICTOR, Fab. Fig. 2.—CANCER HASTATA, Herbst. Fig. 3.—POLYBIUS HENSLOWII, Leach  Plate 4. Fig. 1.—CANCER PUBER, Lin. Fig. 2.—PORTUNUS MARMOREUS, Leach	eni- '.he . 157 gans . 157 . 163 . 163 . 164 . 164 . 163 . 165 . 165 . 165

	CRUSTACEA.	Vol.	III.		
Plate 6.	Fig. 1 ATELECYCLUS SEPTEMDENTATUS, Leach			. 16	
	Fig. 2.—CANCER RURICOLA, Lin.			. 17	6
	_ *			10	^
Plate 7.	Fig. 1.—HEPATUS FASCIATUS, Latr.	•	•	169	
	Fig. 2.—Mursia cristata, Des			. 16	
	Fig. 3.—Ocypode cerathophthalmus, Fab.			. 17	
	Fig. 4.—PIRIMELA DENTICULATA, Leach			. 16	
	Fig. 5.—PILUMNUS HIRTELLUS, Leach.	•		. 17	0
Plate 8.	Fig. 1.—Cancer Rhumphii, Latr			. 16	
	Fig. 2.—Atelectyclus cruentatus, Desm.			. 16	8
	Fig. 3.—THIA POLITA, Leach			. 16	8
	,				
Plate 9.	Fig. 1.—Macrophtalmus parvimanus, Latr			. 17	
	Fig. 2.—Gonoplax rhomboides, Lin			. 17	1
	Fig. 3.—Gelasimus chlorophtalmus, Latr			. 17	
	Fig. 4.—MICTYRIS LONGICARPIUS, Latr.			. 17	
	Fig. 5 Anatomical details of MICTYRIS SULCATUS, Aud			. 17	4
	Fig. 6.—PINNOTHERES VILLOSULUS, Guer.			. 17	
	<b>8.</b> 0				
Plate 10	. Fig. 1.—Eriphia Lævimana, Latr		•	. 16	9
	Fig. 2.—PILUMNUS ACULEATUS, Edw			. 17	0
	Fig. 3.—Thelphusa indica, Latr			. 17	
	Fig. 4.—Fore-part of THELPHUSA FLUVIATILIS, Latr.			. 17	
	, , , , , , , , , , , , , , , , , , , ,				
Plate 11	. Fig. 1.—CANCER RHOMBOIDES, Lin			. 17	71
	Fig. 2.—GELASIMUS MARIONIS, Cuv.		•	. 17	2
	Fig. 3.—PLAGUSIA CLAVIMANA, Latr			. 17	6
	,				
Plate 1:	2. Fig. 1.—Thelphusa fluviatilis, Latr		•	. 17	70
	Fig. 2View of the Female THELPHUSA FLUVIATILIS	with i	ts ta	il	
	spread out. a, b, c, d, e.—Sternal pieces.				
	Latero-sternal pieces. k, k.—Vulva. l, l,	I. I. l.	l. l.	7.	
	False feet.	, , ,	, ,	. 13	70
	Fig. 3.—The right external foot jaw. A.—Its internal	trunk.	a. i	b	
	c, d, e, f.—Its various articulations. B.—	Its fl	abell	i-	
	form palpi			. 1	70
	Fig. 4.—Shell plate of the Male with the organs of gen	eratio	n	• -	• •
	Fig. 5.—Foot jaw of the second pair.			ે 1 <sup>4</sup>	70
	Fig. 6.—Foot jaw of the third pair, with its Palpi	•			70
	Fig. 7.—Foot jaw of the fourth pair, with its Palpi	•			70
	115.7. I oot jaw of the fourth pair, with its 1 arpi		•		,,,
Plate 1	3. Fig. 1.—Grapsus pictus, Lam			1	77
1 1000 x	Fig. 2.—MAIA SQUINADO, Herbst.		•		79
	2.6. 2. 2.2	•		• •	13
Plate 1	4. Fig. 1.—Grapsus variegatus, or Varius, Latr. (The	e Var	ieaat	ed.	
1 1000	Crab-Fish)		tog att	. T	77
	Fig. 2.—The anatomical peculiarities of the Crab-fish	PLAGI	C'STA	. î	
	Fig. 3.—Corystes personatis, Herbst. (The Masked			. 1	
	Fig. 4.—Leucosia Urania, Herbst. (The Crab Leucosi				77
		)		• •	
Plate	15. Fig. 1.—Camposcia retuja, Latr			. 1	182
	Fig. 2.—HALIMUS ARIES, Latr.	•			182
	Fig. 3.—LIBINIA SPINOSA, Ed.		•		183
	, , , , , , , , , , , , , , , , , , , ,	·			
Plate	16. Fig. 1.—EGERIA INDICA, Leach				18
	Fig. 2.—PISA TETRAODON, Leach				18
	9			·	
Dista	17. Fig. 1.—INACHUS SCORPIO, Fab.				18

	CRUSTACEA.	Vol. III.	
Plate 17.	Fig. 2.—Inachus dorhynchus, Leach.		. 184
	Fig. 3.—HYMENOSOMA ORBICULARIS, Latr.		. 184
	***		
Plate 18.	Fig. 1.—Homola spinifrons	•	. 187
	Fig. 2.—Dorippe nodulosa		. 188
	m 1 0		
Plate 19.	Fig. 1.—GRAPSUS PENICILLIGER, Cuv. G. porte-pinceau,	Cuv. (Th	
	Hairy-fingered Crab)		. 177
	Fig. 2.—Remipes testudinarius, Cuv. (The Australian of		. 192
	Fig. 3.—PAGURUS LATICAUDA, Cuv. (The Mauritius Broad-to	ailed Crab	) 193
	T		
Plate 20.	Fig. 5.—GECARCINUS LATERALIS, Frem.	•	. 176
	Fig. 2.—Mouth of the Cardisoma Carnifex .	•	. 175
	Fig. 3.—Uca una, Latr.; Cancer uca, Lin.	•	. 176
D1 . 07	70' 3 VV V V		7.0=
Plate 21.	Fig. 1.—Homola spinifrons, Leach	•	. 187
	Fig. 2.—Pactolus Boscii, Leach	•	. 185
	Fig. 3.—RANINA DORSIPES, Lam.	•	. 189
<b>71</b>	771 7 4 77 1		101
Plate 22.	Fig. 1.—ALBUNEA SYMNISTA, Fab	•	. 191
	Fig. 2.—HIPPA EMERITA, Fab.		. 192
	Fig. 3.—Remipes testudinarius (The Brazilian Crab).		
	ing was taken from a specimen obtained from	m the coa	
	of Brazil	•	. 192
T) . 00	T1' 1 D T1		700
1 late 23.	Fig. 1.—Parthenope Horrida, Fab.	•	. 180
	Fig. 2.—An outline figure of the Lambrus Massena, Ro		. 180
	Fig. 3.—Anatomy of the Lambrus Mediterraneus, Rou	X.	. 180
	Fig. 4.—EURYNOME ASPERA, Leach	•	. 180
	Fig. 5.—MITHRAX SPINICINCTUS, Latr. Young specime	n.	. 180
701 . 0.4	731 7 A Y. ( Y.11 1 1		303
Plate 24	. Fig. 1.—Acanthonyx Lunulatus, Latr.; Libinia lunu	lata, Desi	
	Fig. 2.—PISA SERPULIFERA, Ed.	•	. 181
	Fig. 3.—Pericera trispinosa, Ed.	•	. 181
701 . 0.4	11 TH 1 M T 1 T -4		100
Plate 24	bis. Fig. 1.—MICIPPE PHYLIRA, Leach, Latr.	-	182
	Fig. 2.—Anatomical details of the MICIPPE CHIST	ATA, Leac	h,
	Latr	•	. 182
	Fig. 3.—Stenocionops cervicornis, Leach Latr.		. 182
701 / 07	Et al. Temperature Tim		100
Plate 25	Fig. 1.—Lithodes arctica, Lin.	•	. 186
	Fig. 2.—CALAPPA TUBERCULOSA, Latr. Fab.		. 186
	Fig. 3.—ÆTHRA DEPRESSA, Lam		. 187
701 / 05	1: Ein 1 Daniel warm (Mt. Darth). Hard Cook		100
Plate 25	bis. Fig. 1.—Dromia Nodipes (The Death's-Head Crab)	•	. 188
	Fig. 2.—DRYNOMENE HISPIDA, Desm.		. 188
	Fig. 3.—RANINA SERRATA	•	. 189
DI. ( 90	Eig 1 - Hyunnosowa I Fronti Guor		10
Plate 20	Fig. 1.—Hymenosoma Leachii, Guer.	•	. 184
	Fig. 2.—INACHUS THORACICUS, ROUX.	•	. 184
	Fig. 3.—Leptopus Longipes, Latr.; Maia longipes.	•	. 184
101-4- 07	E:a 1 Eurypoptus LATREILLII Cuy		105
riate 2/	Fig. 1.—EURYPODIUS LATREILLII, Cuv.	•	. 185
	Fig. 2.—Stenormynchus Phalangium, Leach	•	. 185
	Fig. 3.—Anatomical details of the STENORHYNCHUS TEN	TOTKOSTRI	
	Leach		. 185
	Fig. 4.—LEPTOPODIA SAGITTARIA, Fab.	•	. 185
Dlata 97	his Fig. 1 - I PUCOSIA CRANIOLARIS Fah.		150
Plate 2/	. bis. Fig. 1.—LEUCOSIA CRANIOLARIS, Fab	•	• 178

203

Plate 32. ter. Fig. 1.—PENÆUS TRISULCATUS, Leach

URUSTAULA.		V 01.	111.	
Plate 32. ter. Fig. 2.—PALEMON SERRATUS, Leach	*			207
Fig. 3.—NIBALIA HERBSTII, Leach				241
Fig. 4.—Myis Fabricii, Leach				208
Fig. 5.—CRANGON VULGARIS, Fab. (The C.	amman S	therima)		205
rig. o.—Orangon Volgaris, rab. (1ne C	onemon D	in thep		200
Dist. 22 Fig. 1 Manager M.				901
Plate 33. Fig. 1.—Nephrops Norwegicus, Lin.	•	•		201
Fig. 2.—Astacus fluviatilis, Fab.				202
Fig. 3.—ERYON CUVIERII, Desm				201
Fig. 4 Callianassa subterranea, Leach				200
The state of the s	·	·		
Plate 33 his Fig I South a scannication I am				213
Plate 33. bis. Fig. I.—Squilla scabricauda, Lam.	•	•		
Fig. 2.—Squilla Chiragra, Fab.	•	•	•	213
T. 00 . T. 7				
Plate 33. ter. Fig. 1.—Squilla scabricauda Lam. (un	iderneatl	b view).	a, a.	,
ightharpoonupIntermediary antennæ. $b$	$b = E_{\Sigma}$	ternal a	inten-	•
næ. c, c.—Eyes. d, d.—Fi	irst pair	of Foot	jaws.	
e, e.—Second pair of Foot ja				
a a l. l. Third fourth or	d Steb	nair of	Foot	
g, g, h, h.—Third, fourth, ar	ia min	Pari or	1.000	•
jaws. i, i.—Mandibulary pa	aipi <i>j</i>	Shell.	$\kappa, \kappa$	,
l, l, m, m.—Feet, properly s	o called	n, n	—An	L
appendage peculiar to the	male.	oLast	t seg-	•
ment of the body. p, p.—	Lateral	fins. a	ı. a	_
Fin-feet.		2,220	, 1.	213
	•	•		
Fig. 2.—ATYA SCABRA, Leach	•	•	, ,	204
Fig. 3.—Processa edulis, Risso				20:
Plate 34. Fig. 1.—Squilla Stylifbra, Latr				. 213
Fig. 2.—Coronis scolopendra, Latr.		•		. 214
Fig. 2.—CORONIS SCOLOPENDRA, LIGHT.	•	•		
Fig. 3.—ERICHTUS DUVAUCELLII, Guer.	•			. 214
Fig. 4.—ALIMA LONGIROSTRIS, Guer.	•			. 214
Fig. 5.—Anatomical details of ALIMA TETRACA	NTHURA	Latr.		214
Plate 34. bis. Fig. 1.—CAPRELLA TUBERCULATA, Guer.				226
Fig. 2.—CAPRELLA LOBATA, Latr		•		226
Fig. 2.—OAFRELLA LOBATA, Date.	•			
Fig. 3.—CYAMUS OVALIS, Latr.	•	•		226
Fig. 4.—Pterygocera arenaria, Latr.	•		, ,	223
Fig. 5.—Anceus forficularis, Risso				224
Fig. 6.—Typhis ferus, Ed.				224
Fig. 7.—Corophium Longicornis, Latr.	For a	o outlin	e fig.	
of the same, see Pl. 35.	10, 0.			222
Tim O Transport Ed A		•	•	
Fig. 8.—Typhis ferus, Ed. A young ind	iividuai.	•		22
71 . 07 711 1 70				010
Plate 35. Fig. 1.—PHRONIMA SEDENTARIUS, Latr.	•	A		218
Fig. 2.—Taliorus Locusta, Latr				<b>22</b> 0
Fig. 3.—Orchestia Littorea, Leach				220
Fig. 4.—ATYLUS CARINATUS, Leach .	•	•		220
		•		
Fig. 5.—LEUCOTHOE ARTICULOSUS, Leach	•	•	•	222
Fig. 6.—DEXAMINE SPINOSUS, Leach	•			221
Fig. 7.—MELITA PALMATA, Leach .				221
Fig. 8.—CANCER PULEX, Lin				221
Fig. 9.—Amphithoe Rubricata, Leach				221
Fig. 10.—PHERUSA FUCICOLA, Leach .		•		221
	•	•		
Fig. 11.—CEROPHIUM LONGICORNIS, Latr.	•	•		222
Fig. 12.—CERAPUS TUBULARIS, Say .	•			222
Plate 35. bis. Fig. 1.—PHYLLOSOMA COMMUNE, Leach				215
Fig. 2.—PHYLLOSOMA REYNAUDII, Guer.				215
Fig. 3 Anatomical details of the PHYLI	LOSOMA	BDEWA	ODNE	
	LOSUMA	DIVENIC	UKNE,	215
Leach				21:

#### TABLE OF THE PLATES.

CRUSTACEA.	Vol. III.	
Plate 35. bis. Fig. 4.—Phronima atlantica, Guer.		. 218
Fig. 5.—Hyperia Latreillii, Ed.		. 218
Fig. 6.—Hyperia pedestris, Guer.		. 218
Fig. 7.—THEMISTO GAUDICHAUDII, Guer.	•	. 218
THE OF A THE LOCK TO A STATE OF THE STATE OF		910
Plate 35. ter. Figs. 1, 2.—Ione thoracica, Mont.	•	. 219
Fig. 3.—Orchestia Fischerii, Ed.	•	. 220
Fig. 4.—Mandible of the Orchestia	•	. 220
Fig. 5.—Talitrus platycheles, Guer.	•	. 221
Fig. 6.—Gammarus locusta, Latr.	•	. 221
Fig. 7.—LEUCOTHOE FURINA, Sav.	•	. 221
Fig. 8.—Amphitoe Filosa, Sav.	•	. 221
Plate 36. Fig. 1.—GAMMARUS PEDATUS, Müll		. 220
Fig. 2.—Cyamus ceti, Latr.; Oniscus ceti, Lin.		. 226
Fig. 3.—ONISCUS CERULATUS, Mont.		. 224
Fig. 4.—Apseudes Talpa, Leach		. 223
Fig. 5.—Idotea tricuspidata, Latr.		. 233
Fig. 6.—Stenosoma linearis, Leach		. 233
Fig. 7.—Anthura Gracilis, Leach .		. 232
Fig. 8.—NÆSA BIDENTATA, Leach		. 232
Fig. 9.—Oniscus serratus, Fab.		. 232
Figs. 10. 11.—ÆGA EMARGINATA, Leach		. 230
Plate 36. bis. Fig. I.—CYMOTHOA TRIGONOCEPHALA, Leach		. 229
Fig. 2.—Ichthyophilus Orbignyi, Guer.		. 229
Fig. 3.—CANOLIRA ÆGYPTIACA, Guer.		. 229
Fig. 4.—CYAMUS DELPHINII, Guer.		. 226
,	- 1	
Plate 37. Figs. 1, 2.—CYMOTHOA ÆSTRUM, Fab.		. 229
Fig. 3.—Anilocra capensis, Leach .		. 229
Fig. 4.—Nelocira Swainsoni, Leach		. 230
Fig. 5.—CILICÆA LATREILLII, Leach .		. 232
Fig. 6.—Cymodocea Lamarckii, Leach		. 232
Figs. 7, 8.—IDOTEA AQUATICA, Fab.		. 234
%		
Plate 38. Figs. 1, 2.—LIGIA OCEANICA, Fab.	•	. 235
Fig. 3.—Oniscus asellus, Lin.		. 236
Figs. 4, 5.—Armadillo pustulatus, Dumeril		. 236
Fig. 6.—Bopyrus squillarum, Latr. (female)	•	. 228
Fig. 7.—Back view of Bopyrus squillarum .	•	. 228
Fig. 8.—Side view of Bopyrus squillarum	٠.	. 228
Fig. 9.—Claw of Bopyrus squillarum		. 228
Figs. 10, 11.—Back and front view of an individual, s	upposed to	
the male Bopyrus squillarum		. 228
Fig. 12.—Shield of the Palemonis squillarum, with	i the right si	
deformed by the presence of a Bory 'Fig. 13.—Argulus foliaceus, Jurine, (male)	RUS	. 228
Fig. 13, a.—Back view of Argulus Foliaceus, (fema	10)	. 228
rig. 15, a.—Data view of find the Foliaceus, (lema	ne)	. 228
Plate 39. Fig. 1.—Cypris religiosa		. 245
Fig. 2.—Anthosoma Smithii	1	270
Fig. 3.—CYTHEREA FULVA		. 245
Fig. 4.—Cyclopa communis		. 244
Fig. 5.—LYNCEUS ROSEUS		. 253
Fig. 6.—PANDARUS BICOLOR		. 269
Fig. 7.—DAPHNIA CLATHRATA		. 250
Fig. 8.—Caligus Mulleri, (The Fish-Louse)		. 269
Fig. 9.—Dichelestium sturionis		. 271

	Vol. III. I	Page
Plate 39. bis. Fig. 1.—CYCLOPA COMMUNIS; or, quadricornis. (var. r	ubri) .	244
Fig. 2.—Cyclopa communis; or, quadricornis. (fem		
viridis		244
Fig. 3.—Cyclopa communis. A young subject		244
Fig. 4.—-CYCLOPA CASTOR, (female)		244
Fig. 5.—Cyclopa staphilinus		244
Fig. 6.—DAPHNIA PULEX, Latr		253
Plate 40. Fig. 1.—Apis cancirformis, Latr. (female) a.—Upper	lin h	
Shield. c, c.—Antennæ i, i.—Mandibles. k,		
pair of Branching feet. l, l.—Branchial feet.	m m	
Threads of the tail. n.—A jaw of the first pair	n notahad	
and ciliated along its margin of A jaw of the	r, notened	
and ciliated along its margin. o.—A jaw of t		
pair. p.—Tongue, bifid; on which is remarked		200
channel, that leads direct to the cosophagus.		260
Fig. 2.—Monoculus apis, Lin.		260
Fig. 3.—Cypris fusca, Straus.	•	245
Figs. 4, 5.—CYPRIS ORNATA, Müll. Back and front view.	•	245
Fig. 6.—Cypris vidua, Müll.		245
Figs. 7, 8.—CYPRIS UNIFASCIATA, Cuv. A new species		245
701		~~
Plate 41. Fig. 1.—LIMNADIA HERMANI, Ad. Brong.		254
Fig. 2.—Branchipus paludosus (male). a, a.—Eyes, on		
b.—Horns. c, c.—Mandibuliform antennæ.	d, d.—	
Tentacula, in the shape of a trunk, moveable	and rolled	
in a spiral form. e.—Eye, simple rudimen	t. $f, f, f$ .	
-Natatory feet. gGauntlet. h, hTai	1. i, i.—	
Terminating threads of the tail.		257
Fig. 3.—Head of Branchipus paludosus, seen in front, as	nd under-	
neath		257
Fig. 4.—Tail of Branchipus paludosus, (female). k.—	Bag con-	
taining the eggs. l.—Valve .		257
Fig. 5.—Branchipus Paludosus. A young subject.		257
1.5. of Dimitality of the Doctor and Journal of the		20,
Plate 42. Fig. 1.—LIMULUS POLYPHEMUS, Fab.		<b>2</b> 64
Fig. 2.—Underneath view of Limulus Polyphemus		264
Figs. 3, 4.—Polyphemus oculus, Müll. Back and front		
rigs. 5, 4.—I of them as ocolos, mont. Dack and front	view.	248
-A		
—ofo©ofo—		
, A D A GITALI D TI G		
ARACHNIDES.		
AD A CITYIDEC		
	ol. III. P	
Plate 1. Fig. 1.—ERIODON OCCATORIUS, Latr.		290
Fig. 2.—MYGALE CÆMENTARIA, Latr. (male)		288
Fig. 3.—Scythodes thoracica, Latr		296
Fig. 4.—Thomisus heterogaster, Latr.		304
Fig. 5.—Claws of a mandible of MYGALE AVICULARIA, Latr.		287
Fig. 6.—Lycosa tarentula, Latr		307
Fig. 7.—Mouth of Drassus Melanogaster, Latr		294
Plate 1. bis. Fig. 1.—MYGALE FASCIATA, Walck		287
Plate 2. Fig. 1.—MYGALE CANCERIDES, Walck. (male) .		287
, , , , , , , , , , , , , , , , , , , ,		
Plate 2. bis. Fig. 1.—MYGALE BLONDU, Latr.		287
, , , , , , , , , , , , , , , , , , , ,		
Plate 3. Fig. 1.—MYGALE AVICULARIA, Walck.		287
Fig. 2.—ATYPUS SULZERI, Latr.		289

ARACHNIDES.	Vol.	III. Page
Plate 3. bis. Fig. 1.—Aranea nigrita, Fab. Mas.		. 291
Fig. 2.—Drassus Bicolor, Hahn. Mas.		. 293
Fig. 3.—DISDERA ERYTHRINA, Latr.	•	. 291
Fig. 4.—Drassus cinereus, Hahn.	•	. 293
Plate 4. Fig. 1.—Drassus melagonaster, Latr. (female)		. 294
Fig. 2.—Drassus montanus, (female)	*	. 294
Fig. 3.—Drassus murinus		. 294
Fig. 4.—Drassus ater, Latr.		. 294
Fig. 5.—Drassus fulgens, Walck.		. 294
District Trial Commence Straight		. 295
Plate 5. Fig. 1.—Clubiona amarantha, Walck.		. 294
Fig. 2.—Segestria senoculata, Walck. Fig. 3.—Segestria perfida, Walck.	•	. 294
Fig. 4.—Clubiona holoserica, Walck. (stripped of its	legs).	
2-5. Il Garage and March (conflored at the	6-7-	
Plate 5. bis. Fig. 1.—Clubiona lapidicola, Latr.	•	. 295
Fig. 2.—Clubiona punctata, (female)	•	. 295
Fig. 3.—Clubiona pallens, (stripped of its legs)	•	. 295
Plate 6. Fig. 1.—Clubiona claustraria, (female)		. 295
Fig. 2.—Clubiona atrox, Walck, (female)	•	. 295
Fig. 3.—Clubiona nutrix, Lat. (stripped of its legs and	mandi	
2.g. o. Obolom norma, have (ourprod of the rogo and		2100) 200
Plate 6. bis. Fig. 1.—ARANEA LABIRINTHICA, Lat. (male)		. 295
Fig. 2,—Aranea Labirinthica, (female)		. 295
Fig. 3.—ARGYRONETA AQUATICA	•	. 295
Plate 7. Fig. 1.—THERIDION QUATUOR-GUTTATUM .		. 269
Fig. 1. a.—THERIDION QUATUOR-GUTTATUM, (female)	•	. 296
Fig. 2.—THERIDION REDINITION Walch		. 296
Fig. 2.—Theridion redimitum, Walck. Fig. 3.—Theridion bicolor		. 296
Fig. 4.—Theridion varians		. 296
Plate 7. bis. Fig. 1.—THERIDION QUATUOR-PUNCTATUM, Walck. (	male)	. 296
Fig. 2.—Theridion maculatum, Walck female)  Fig. 3.—Theridion quatuor-sigmatum.		. 296
Fig. 5.—THERIDION QUATUOR-SIGNATUM.	•	. 296
Fig. 4.—THERIDION DORSIGER	•	. 296
Fig. 5.—Theridion varians	•	. 296
Plate 8. Fig. 1.—PHRYNUS RENIFORMIS, Lin.		. 311
Fig. 2.—Scorpio Afer, Lin. (The African Scorpion)		. 313
Fig. 3.—THELIPHONUS CAUDATUS, Lin.; Phalangium cau-	datum	. 311
Fig. 4.—Galrodes spinipalpis, Lat.		. 316
Dist. O Lie Eig. I Typnynyov Bynnynyo		000
Plate 8. bis. Fig. 1.—Theridion rubripes Fig. 2.—Theridion thoracicum	•	- 296
	•	. 296
Fig. 4.—Theridion maxillosum  Fig. 4.—Theridion signatum, (female)		. 296 . 296
Fig. 5.—Theridion Triste, (female)	•	. 296
Fig. 6.—Theridion sisiphum		. 296
,		. 200
Plate 9. Fig. 1.—Theridion maxillosum, (female)		. 296
Fig. 2.—THERIDION OBSCURUM Fig. 3.—THERIDION RETICULATUM Fig. 4.—THEFURON RIGHT (stripped of its logs and m		. 296
Fig. 3.—THERIDION RETICULATUM	•	. 296
	andible	es) . 296
Fig. 5.—Theripion nervosum, (stripped of its legs and r	nandib.	les). 296
Plate 9. bis. Fig. 1.—Aranea Lævipes, Lin. (female) .		. 303
Fig. 2.—Thomisus aureolus, Walck. (male)		. 303
Fig. 3.—Thomisus griceus, (female).		. 301

ARACHNIDES.	Vol. III.	
Plate 9. ter. Fig. 1.—Thomisus Aureolus, Walck. (female)		. 304
Fig. 2.—Oxyopes variegatus, Lat. (female)	•	. 305
Fig. 3.—Aranea fimbriatus, Clerk	•	. 306
		00.4
Plate IO. Fig. 1.—Thomisus pratensis, Hahn.	•	. 304
Fig. 2.—Thomisus diadema, Hahn,	•	. 304
Fig. 3.—Thomisus rhombolcus	•	. 304
Fig. 4.—Thomisus oblongus	•	. 304
Dieta 10 his Fig. 1 Tuonyaya pray		. 304
Plate 10. bis. Fig. 1.—Thomisus pini Fig. 2.—Thomisus robustus	•	. 304
Fig. 3.—Thomisus sabulosus	•	. 304
Fig. 4.—Thomisus brevipes		. 304
Fig. 5.—Thomisus ulmi		. 304
Fig. 6.—Thomisus lateralis		. 304
<b>6. 2</b>		
Plate 10. ter. Fig. 1.—Pholous Phalangioides, Walck.		. 297
Fig. 2.—EPEIRA CLAVIPES, Walck		. 300
Plate 11. Fig. 1.—EPBIRA STRUMII, Hahn.		. 299
Fig. 2.—EPEIRA HIRSUTA, Hahn.		. 299
Fig. 3.—Epeira ullrichii, Hahn.	,	. 299
Plate 11. bis. Fig. 1.—Tetragnatha extensa, Lat.	•	. 298
Plate 11. ter. Fig. 1.—Thomisus Floricolens, Walck.	•	. 304
Fig. 2.—Thomisus rotundatus, Walck.	•	. 304
Fig. 3.—Thomisus citreus, Walck.	•	. 304
Fig. 4.—Araneus Plantarius, Clerk	•	. 295
Fig. 5.—Thomisus cristatus, Walck.	•	. 304
Dieta 19 Fig. 1 Farma appropriate Wolch		900
Plate 12. Fig. 1.—EPEIRA SERICEA, Walck-	•	. 299 . 299
Fig. 2.—Epeira sclopetaria, Clerk Fig. 3.—Epeira conica, Walck.	1	
rig. 5.—IPEIRA CONICA, Walck.	•	. 300
Plate 12. bis. Fig. 1MICROMMATA SMARAGBINA; M. smaragdula,	Lat (male	301
Fig. 2.—MICROMMATA SMARAGDINA, (female)		. 301
Fig. 3.—Uloborus Walckenaerius, Lat. (female)		. 298
2.50 00 0 2020102 (1 12012211221)	-	
Plate 13. Fig. 1.—EPEIRA SCALARIS, Walck		. 299
Fig. 2.—EPEIRA APOCLISA, Walck		. 299
· ·		
Plate 13. bis. Fig. 1.—Acrosoma furcata, Hahn. (female)*		. 300
Fig. 2.—Acrosoma Bifurcata, Hahn.		. 300
Fig. 3.—Acrosoma HEXACANTHA, Hahn.; Aranea h	exacantha	ι,
Fab. (female)		. 300
Plate 14. Fig. 1.—Aranea fasciata; Epeira fasciata, Walck. (The	e Fasciate	d
or Barbary Spider) .	•	. 299
701 - 14 TP 1 T - T		00-
Plate 15. Fig. 1.—Lycosa Latreilleii	•	. 307
Fig. 2.—EPEIRA ANGULATA, Walck.	1	. 300
Fig. 3.—EPEIRA GENISTÆ	•	. 300
Fig. 4.—Epeira Herii, Hahn.	•	. 300
Dieta 16 Fig. 1 Free Parent (female)		200
Plate 16. Fig. 1.—EPEIRA DIADEMA, (female)	,	. 299
		. 299
Fig. 3.—EPEIRA AGALENA, Hahn. Walck.	,	. 299


<sup>\*</sup> The name given to a new subgenus, which includes all the Spiny Epeira.

			ARACHNIDES.	Vol.	III.	Pa	ge
Plate	16.	bis.	Fig. 1.—EPRIRA VULPINA	•			99
			Fig. 2.—EPEIRA VIRGATA; Aranea virgata, Clerk Fig. 3.—Body of EPEIRA UMBRATICA; Aranea cicatri		Dag	9	99
			Fig. 4.—Body of Epeira Schreibersii, (female)	icosa,	Deg.	9	99
			rig. 4.—Body of EFERRA SCHREIBERSH, (Temate)	•	•	4	00
Plate	16.	ter.	Fig. 1.—LYCOSA SILVICULTRIX, (male) .			3	807
			Fig. 2.—Lycosa silvicultrix. (female)				07
			Fig. 3.—Lycosa praegrandis			3	07
			Fig. 4.—Lycosa hellenica		. , .	3	307
701 (	7 77	T3'	1 Y TT 1				
1'late	17.		. I.—Lycosa sabulosa, Hahn.	•			307
			2.—Lycosa cursor, Hahn.	•	• •		307
			. 3.—Lycosa lugubris, Hahn	•	•	9	307 307
		* *6	and an analysis of the state of				.7
Plate	17.	bis.	Fig. 1.—Lycosa melagonaster		(4.	. :	307
			Fig. 2.—Lycosa Ruricola, Lat.				307
			Fig. 3.—Lycosa vorax, Walck.			:	307
			Fig. 4.—LYCOSA ALPINA			. :	307
D1 .			T1 1 T1				
Plate	17.	ter.	Fig. 1.—ERESUS OTENIZOIAES .	•			309
			Fig. 2.—Eresus Luridus	•			309
			Fig. 2.—Eresus luridus Fig. 3.—Palpimanus haematinus, (male) Fig. 4.—Palpimanus haematinus, (female)	•			309
			Fig. 5.—Oxyopes lineatus, Latr. (male)	. '			309 30 <b>6</b>
			Fig. 6.—Oxyopes lineatus, Latr. (female) .	•			306
							,00
Plate	18.	Fig	. 1.—LYCOSA PICTA			. :	307
		Fig	. 2.—Lycosa piratica, Walck				307
		Fig	. 3.—Lycosa saccata, Latr. (male)			. :	307
Dista	10	1.:-	TS: 1 T (6 1)				
riate	10.	DIS.	Fig. 1.—LYCOSA LYNX, (female) Fig. 2.—LYCOSA PALUDOSA, (female)				307
			rig. 2.—Licosa Paludosa, (lemate)	•		•	307
Plate	18.	ter.	Fig. 1.—Dolomedes Limbatus, Hahn.				306
			Fig. 2.—Dolomedes mirabilis, Walck.				306
	-	227540	Fig. 3.—Dolomedes Marginatus, Walck.	•			306
					•		-
Plate	19.	Fig	g. I.—Aranea grossipes, Deg			. :	309
		Fig	3. 2.—Salticus fasciatus, Hahn				309
		Fig	3.—Salticus tigrinus, Hahn.				309
			. 4.—Salticus littoralis		•		310
		LIE	3.5.—Attus Quinquepartius, Walck	•		. :	310
Plate	20.	Fig	g. 1.—Salticus Sloanei, Latr				309
		Fig	2. 2.—Salticus crux				309
		Fi	2. 3.—SALTICUS GRACILIS	•			309
		Fig	g. 3.—Salticus gracilis g. 4.—Salticus brevipes		•		310
		Fig	5.5.—SALTICUS AGILIS	•			310
737	01						
Plate	e ZI	. Fig	g. 1.—Attus ohalybeius, Walck.	•			309
		Fig	3. 2.—SALTICUS ÆNEUS		•		310
		E 18	g. 3.—Salticus pubescens, Fab.	•			310
		Ric	5. SAUTIOUS PRAVIPES		•		310
		Fie	g. 4.—Salticus flavipes	•			310
		8	5.00 2000 1111, 208		•	•	<b>3I</b> 0
Plat	e 22,	Fig	g. 1.—Salticus Rhumpfii, Latr.				310
		Fig	gs. 2, 3.—Salticus scenicus, Latr.; Aranea scenica, 1	Lin.			310

ARACHNIDES.	Vol. III. Page
Plate 22. Fig. 3—Attus cupreus, Walck.	310
Plate 23. Fig. 1.—CHELIFER CANCROIDES, Geoff. (The Book-Scorpion	. 316
	316
Fig. 2.—CHELIFER IXOIDES, Hahn.	
Fig. 3.—CHELIFER CORTICALIS, Hahn. Fig. 4.—Eresus CINNABERINUS, Walck.	309
Tig. 5. Through a service and Calon	
Fig. 5.—Eresus annulatus, Schaff.	. 303
Plate 24. Fig. 1.—GALEODES ARANEOIDES, (male)	316
Fig. 2.—GALEODES ARANEOIDES, (female)	. 316
Fig. 3.—OPILIO TRIDENS*	319
Plate 24. bis. Fig. 1.—Opilio lucorum, (male)*	. 319
Fig. 2.—Opilio rufipes*	319
Fig. 3.—Opilio lucorum, (female)*	. 319
	010
Plate 25. Fig. 1.—Opilio longipes, Herbst. (male)	. 318
Fig. 2.—PHALANGIUM CORNUTUM, (male)	. 319
Fig. 3.—Phalangium cornutum, Lin. (female) .	319
Plate 26. Fig. 1.—Phalangium Helwigii, Panz	- 319
Fig. 2.—OPILIO HISPIDUS, Herbst.*	319
1 18. 2. Of the or histings, littlest.	
Plate 27. Fig. 1.—TROGULUS NEPIFORMIS, Latr	. 320
Fig. 2,—Trombidium fasciculatum	321
Fig. 3.—Trombidium holosericeum, Fab	. 321
Fig. 4.—Trombidium fuliginosum, Herm.	321
Fig. 5.—TROMBIDIUM TRIMACULATUM, Herm.	. 321
Fig. 6.—TROMBIDIUM MUSCOSUM	321
Fig. 7.—ERYTHRÆUS PHALANGIOIDES, Latr.	. 321
•	
Plate 28. Fig. 1.—Dolomedes riparious	306
Fig. 2.—Ixodes reduvius, Hahn	. 324
Fig. 3.—Ixodes marginalis, Hahn.	324
Fig. 4.—Theridion benignum, Walck. (male)	. 296
Fig. 5.—Theridion benignum, (female)	296
Fig. 6.—Aranea latens, Fab	<b>. 2</b> 96
Fig. 7.—DICTYNA VARIABILIS, Hahn.	296
Plate 90 Fig. 1. HERPAGUNA GEOGRAPHICA MÜL	905
Plate 29. Fig. 1.—Hydrachna Geographica, Müll.	. 325
Fig. 2.—Hydrachna histrionica, Hahn.	
Pig. 3.—Hydrachna miniata, Hahn.	. 325
Fig. 4.—HYDRACHNA GLOBOLUS, Herm.; Atax globata, Fa	b 325
Fig. 5.—Hydrachna varipes, Hahn.	325
Fig. 6.—Limnochares holoserica. Latr	. 325


\* New species belonging to the Genus Phalangium.

Mollusca.Pl.1



1. Octopus Cavierii, d'irb. 2. Part of on arm of the Eledone moschatus. Jan. 3. Acgonauta argo. 4. Septa officinalis. 4. 5. Loligo Brogniartii d'Irb. 6. The extremity of a great arm and internal shape of the Unychotouthis angulata Lescar. 7. Nautilus pompilius. 4. 8. Spivula australis Perco






1 Sopia actopudia kin/The Polypus of the Ancients \( 2 \) Eleadon moschatus keach.
3. Loligo sagaituta kam. The liveat Calmar



Laber surious views of the Sopin octopedia. En. Polypus of the Incients | see also Pt 2 Fig. 1.


? Octopus argonautiv tame





1. Belenmites plems Haim. 2. Belenmites hastatus, Haim. 3. Belenmites hiraralioulatus.
Haim. 4. Belenmites giyas, Haim. 5. Belenmites penicillatus, Blaim. 6. Orthoceras regularis, Haim. 7. Conilites ungulatus, liner. 8. Belenmites nucrenatus Blaim. 9. Belennites Scania, Blaim.

London, G Her der son, 2 Cld Builey






1. Miliola surorum, Eucy Meth. 2. Melonia sphericu, Eucy, Meth. 3. Melonia spheraidia, Eucy, Meth. 4. Orbiculina Munismalis, Eucy, Meth. 5. Placentula pulvinata, Eucy Meth. 6. Vorticialis enriculata, Eucy, Meth. 7. Lenticulina volulata, Ann. of the E. Musenne, 8. Polystomella placalista, Fieht.






1. Naumodites lenticulus. 2. Miliola trigonala Eucy Meth. 3. Bacculites gigas. 3. a. portion of a Racculites 1. Taxvilites costulata. Bl. 5. Ammonites colubina. Bl. 6. Naufilus triangularis. Bl. 7. Naufilus ambiliculus. Bl. 8. Naufilus bisiphites. Bl. 9. Ochulites crassa. Bl.






1. Ammonites interruptus. Def. young individual. 1. a. front view. 2. Ammonites Brogniartii Sew. 2. a. front view. 3. Ammonites vrassa. Def. 3. a. front view. 4. Ammonites Desleuchampii. Def 5. Ammonites hervillii Sow. 5. a. front view.


London, ii. Henderson, 2. Old Builey.





I. Nadosarla Firussacti, 2. Textularia prymicu. 3. Polymorphina dipitatu. 4. Telloculina difficuris. 5. Telloculina trivarinata. 6. Spicoloculina perferatu. 7. Spicoloculina depressascoupet. 8 & 9. Articulina ditida. 10. Qoʻmqueloculina stratu. Il Amphistogina tessoutt. 12. Alveolina bulloides.






I Clin barrells. Im liw. 2. Cymbulia Perenii liw. 3. Pucumodevnon diaphanuni. (wy 8 biyu. Siy of Predle 4. Pucumodevnom Perenii liw. 6. Limwe'ian helicina, liw. 6. Hyden yhelulesa, king. 7. Hyden teispunsa, Lessuur. 8. Clendova lanevalata, less" 9. Creneis virgula, Kana 10. Cuswe'in celmanella, Kana Il Fysche ylehulesa, Kana, 12. Favylein hemispherica, Kuna, 13. Pyvžo hevis, Definnec, liw.





1 Louticulites planularis, Lam. 2 Discorbites resicularis, Lam. 3 Rotalites trochalifermis, Lam. 4 frondicularis complanata, Ref. 5 Planularia auris, Def. 6. Planosprites solitaria, Def. 7. Spiroliustes celindracea lam. 8. Spivolinites complanata lam. 9. Nummulites levigata. 40. Nodo sa-London & Henderson 2 Old Barley. rua filifornus






1. Hamite cylindricus, lof. 2. Scaphites arqualis, Sov. 3. Orthoceras annelatus III. 4. Combaria Surerbeit, Def.






1. Hamite exlindricus, lef. 2. Scaphites requalis Sov. 3. Orthocoras annelatus, M.
4. Combaria Soverbeir, Def.





1. Notavehus, 2. Fleuvohvanchus luniveps, 3. Animal of the Anomia. 1. Animal of the Siguretus, 5. Animal of the tridaena, 6. Polyelinnu diazona






LAcion empiricarum, Feruse, 2. Limas variegams, Fer. Itap. 3. Vitema pellucidu. Bend. 4. Acstacellus haliatidrus, Fer. Cav. 5. Euromeella Olivieri J. v. 6. The Head & interior radimental parts of the Parmavella pullialum, Fer. 7. Vagianda Tumqysii, Fer.





1. Helix varovotta. L. Cov. 2. Helix globulosa. Lam. (S. 6. Anosterna. Lam) 3. Helix personata. Lam. 4. Helix Coalteriana L. tice, 5. Helix carabinata Feruse, 6. Helix conaidea, Drap. Cov. 7. Helix memoralis, 4. Cov. 8. Suc erron rubesceus, Desh, enevel. 9, Chondrus avenuceus, tia. 10. Chondrus variabilis, fiar. 41. Butimus qua dudupensis, Fer. 12. Pupa striatella, Fer. 13 Clausilia inflata Lam. 14. Achatua Mulleri, Fernss.






Helix obvelula, 2 Nitrina pellucida, Brap. 3. Succinea cucullata, Brap. 4. Succinea ampinhia, Brap.
 Clausilia ragusa, Brap. 6. Bulla zebra, J. 7. Bulimus glans, Beng. 8. Accatina colon weris Brap.







1. Planorbis quadelupensis. Fer. 2. Planorbis cornea. L. 3. Lymnwus pullidus. Guér. 4. Lymnw us stagnalis, L. 5. Physia novo-hollandie. Blaine. 6. Searabus inchinen. Montf. 7. Ancienta mide. lam. 8. Conovulus fascintus, Besh. 9 Onchidana Peronii tuv.






I. Boris atromarginata line. 2. Doris unaquifica Quey & born. 3. Eggs of an Doris. 4. Polyvera cornula. Mull. line. 5. Tritonia elegans, line 6. Thothys fimbria. 2. 7. See Sirva ghaniphodensis. Quay & boyon. 8. Claneus Forsteri, Quay & boyon.





1. Pleurobranchus punctatus, Cury & Gyrn. 2. Pleurobranchiwa maculatu. Cury & Gyrn. 3. Aplysia punctatu. Gir. 4. Dolabella Rumphii. Av. 5. Notaxchus gelatinesus, Gur. 6. Bursatella Leachii. Blainy. 7. Akera viridis. Rum. 8. Gasteroptevon. Meckelii. Av. 9. Ombrella indica. Lam.






Pleurobranchus Leseur, Bl. 2. Aplisia depitans, Lin.
 Ombreth indiva, Lancele, see also Pl.16.

London: 6. Henderson, 2 Old Barley.





I Cavinaria cymbium Ism. 2. Atlanta birmdrenii, Icsuem. 3. Fivola vandina, Bang. I. Temm isos triangularis. Prey & tigen 5. Monophova rudis. Pury & tigen. 6. Phyllicoc rubra. Cury & time.






1. Trochus *amhatinans, L. 2*. Trochus *nileticus, them*, 3. Trochus *abeliseus them*, 4 Tucbo*piet.* L. 5. Ampullaria *curintia, tliv.* 6. Helicina *neritella, list.* 7. Melania *convetata, lim.* 






1. Trochus pagndus, Chem. [8. 6. lectnive] 2. Trochus imperialis Chem. [8. 6. calcar.] 3. Rotella monififera, Jam. 1. Trochus viis, Chem. [8. 6. canthavide.] 5. Trochus veneavus, Chem. [8. 6. entunair.] 6. Trochus telescopinu. Chem. [8. 6. telescope.] 7. Solarium perspectivum, Jam. 8. Tavbo rugosus, Jam. 9. Delphimula distarta Jam. 10. Tavitella daplicata, Jam. 11. So.davia pretiosa. Jam. 12. Cyclostowa elegans, Jam. 13. Valvata planarhis, Jam.






1 Tornatella flaumica, Lam. 2. Pyramidella maculosa, Lam. 3. Janthina communis A.m. 4. Natica plumbea, Lam. 5. Natica allmmen. Lam. 6. Natica plicata, Lam. 7. Velates perversa five 8. Neritina luctica. Lam. 9. Clithon corema for 40. Operenle of the Nevitina lineata.






1 Conus generalis. 2. Conus mushelirus. 3. Comus mitratus. 4. Conus textile. 5. Conus mperialis. 6. Terebellano cencolutum. Lam. 7. Volvaria monilis. Lin. 8. Marginella laba El. 9 Marginella lineata. III.





1 Oliva litterata. 2. Oliva unduta. 3 Oliva subulatu. 4 Columbella strombiformis, 5. Mitra tavuata. Ill. 6. Mitra episcopalis. 7. Mitra microzonias. 8. Mitra dactylus. 9. Mitra decorata. Schum.






Ethippon's vernacapiae, Iam. 2. Capadas hangarievis, Est. One. 3. Crepidala restata, Besh. 1. Septacia elliptica, Ierra, 5. Celeptura acquestres, I. G. Caleptura australia, Besh. 7. Caleptura equestres, I. G. 8. Caleptura vigasa Besh. 9. Caleptura squanala, Besh. 10. Siphanavia Severdyr, Michelia, 11. Sigas etus haliceideus, I.am. 12. Caviavella ngra, Bhirev. 13. Capatos tama Jeachii, Bhire






L Mitra valpecula, lam. 2. Conselix ductitus, Sew. 3. Cancelluria asperula liesh. 1. Buccimum glane kam. 5. Buccinam laxissinum lam. 6. Nassa reticulata kam. 7. Phucua spirata kam 8. Ancillarin cinuamanura. III. 9. Dolium penumun tam 40. Balium perdir. Tom.





1. Hipponix caraccepia. Hef. see also 14, 23, Fig. 1.—2. Hipponix Sover beir Hef.—3. Hipponix dilata Hef.—1. Hipponix metrata, Hef.—5. Crepidula subspirata.—6. Navicella elléptica. Ency. Meth. 7. Calyptraeo activeterium.






1 Dolum gales SC 2 The country of 20000 M 3 Buccinum conditions of a Hamba conference 7%.






Proto turritella, Def. 2. Nevinea tuberrulosa, Def. 3. Melanopsis lævis, Dl.
 Turritella biungulata, W. 5. Pyramidella delabrata, Bl.





bilarpa ventrices a. tam. 2. Purpuva trochlea tam. 3. Ricinada arachneides. tam. 4. Coverbolopus peruvianus, d.trg. 5. Cassis decussatu. tam. 6. Cassidaria echianphara tam. 7. Tevebva musearia, tam. 8. Potamis pulustre, Buguetam. 9. Potamis praydis Pef






1 Cassis Inherica Mil Carpus subscenta M. 3 Ricmula as 22.


1 Tevebra has sunden 5 Harps white ...






1. Murex brandaris Lam. 2. Murex haustellum / S. & bi viete Montf. / 3. Typhis pungens. Montf. 1. Movex cutae cus. S.G. aquille, Mentf. / 5. Movex laterium, S.G. lateire, Mentf. 6. Movex rube cula. Striten Lam 7. Murex magellanicus. / Str. trophene. Montf.






J. Cerithum rectagus. Hrug. 2. Cerithum aluco Hing. 3. Cerithum tristama Hrng. 4. Cerithum sulcata. Bl. 5. Cerithum Commerie. 6. Cerithum madagascariensis. Bl.





Marex gyrinus, bin. 2. Marex Intervant. bin. 3. Marex adustus, Ht. 4. Marex scalymus, Mar.
 Marex tulipa. kin. 6. Pyrula nalvagena Bl.






1 Fusus maria, lam. 2. Struthiolavia nodulosa, lam. 3. Pleurotoma habelonia, lam. 4 Pleurotowa auriculifera M. 5. Pyvula rapa Jam. 6. Pyvula fiens, Jam. 7. Pyvula perversa, Jam. 8. Fase i okavin trapezium, tam. 9. Tuchinella pyram, tam. 10. Tuchinella erramica, tam.




1. Mares erassispina, Bt. 2. Mares pangens, Bt. 3. Buccin papillosum, Bt. 4. Buccin arcularia Bt. 5. Piecocera searpia, lam / first state/ for a view of the prefed state see Pt. 27. 6. Strombus tricornis, Bt. 7. Fuscan nominta, Bt.





1. Triton lampas, M. 2. Ranella granulata, M. 3. Triton variegatum, Bl.






1. Strombus *papilio. lam.* 2. Pterocera *scorpio. lam.*, 3. Rostellaria *pespelecani. lam.*1. Hippocrones *macroptera Jam.* 



Mollusca.P1.28.




1 Normotus lumbricitlis, Lin. Adams, 2 Nermotus rescus, Quy & Gaym, 3 Nermotus carinatus, Quy & Gaym, 4. Magilus antiques, Montf. 5. Silicaria muricata Lam.






1. Patella vulnutu Martin. 2. Patella vumpressa, them. 3. Patella sentellaris, Ilhane. 1. Patella verblouria, Ial. 5. Patella pertinutu, Ilhane. 6. Patella qembularia, Ilhane. 7. Patella deaurata, them.






Chrism curing cultures, them 2. Chrism pierus (8 x 3 Chrism corn core 18 mm - 1. Chrism error Mann. 5. Chrism burya furnus. 6. Caram ella monta furna a Caram burya furnus.





1 Haliofis canaliculata Lam. 2. Animal of the Haliotide line. 3. Stomatra physics is 1. m. 4. Fissurella amulata Lam. 5. Animal of the Fissurelle, in. 6. Animal of the Emarginale. livier. 7. Animal of the Patelle, Cur. 8. Patella Ingubris. Blainy. 9. Parmophorus australis. Lam. 10. Chiton squamosus. Lam.





1. Hinnites Pubnicsonii, Bl. 2. Plagiostoma punctatu, Sev. 3. Pachytos opinasus, Cuv. & Br. 1. Dianchova striata, Sev. 5. Podopsis truncatu, tam. 6. Anomia ephippium, Jam.

<sup>7</sup> Placuna placenta Brug. 8. Spondylus americanus, Iam. 9. Plicatula eristata, Jam. 10. Vulsella linguiatu, Iam.






Adolites Eurhinata, Lam. 2. Calevola sandalina Lam. 3. Spherulites dominactii. Desm. Spherulites crateriformis, Desm. 5. Hippuxites carno pastoris, Desm. 6. Gryphwa arata lam. 7. O stven crista-galli, Lam. 8. Ostven chilis, Lam. 9. Pedum spondyloidenm. 10. stvn gilde vas. Lam. 11. Lima glavialis, Lam.




Mollusca C



redita calyculata. Lum. 2. Joint of the Shell of the Cypracardia guinaica. Lum. 3. Corolliopia.
carditeides: III. A. Joint of the Shell of the Venezicardia sulcata. Payr. 5. Crass. stella vul
cu Lum. 6. Tenducua gigus. Lum. 7. Hippopus maculatus. Lum. 3. Charron Friendia lum.





1 Hipporites of security 14f - 2 Hipporites hilocularis ham 3. Hipporite succeita Bel attacked to a Hipp-bile cularis.





1. Malleus valgaris, Iam. 2. Perna ephippium, Iam. 3. Crenatula avienlaris. Iam. 1. Gervilia solenoïdes. Defr. 5. Inoceranus sulcatus. Cuv. 6. Catillus Cavierii, Er. ...
7. Pulvinites Adopsonii, Defr. 8. Etheria elliptica. Iam.






I Stryg's ephala Burlinii Ibd. 2 Strophomena rugova Rossi. 3. Spiriteva troscoulise, Sev

Landan Land Carlo Valle Porter







3 Subscriptes folicies Lam. 2. Calcoola heteroelita, hef 3 Osmora marquitaren III.












Asicula heteroptera Jam. 2. Piatadius margaritifera Jam. 3. Same as Fig. 2. hat from zona) subject. 4. Piana argustana Jam. 5. Avea granosa Jam. 6. Peetameulus pilosus. on. 7. Nacula enarginata Jam. 8. Teigouia peetinata Jam. (Va.)




Mollusca Pl. 33.




1 Diceras arietina, Lam. 2. Isocardia Dussumierii. Val. in the collection of the French Museum. 3. Cardinus frankriatum. Lam. A. Donax Hilairen Val. in the collection of the brench Masses. clas cornea, Lam 6. Cyvena ceylanica, Lam, 7. Cyprina gigas, L. 8. Galathea cadada Lam






1. Pinna nobilis. Lin. 2. Arca New Chem. 3. Arca barbata. 4. Arca tortuosa Chem. 5. Arca marmoruta.o.m.6. Arca mytiloidea. Bl






Dianchora striata. 2. Plagiostoma spinosa. III. 3. Podopsis trancata. 4. Orbicula larvis. III.
 J. Hinnites Cartesii. Def.





1 Ceprin estandera them 2 Channa copheric of hin. 3 Channa approachem 4 - a - a Cardium hencearas his them 6 Isocardia to Linn





1. Donax scortum, M. 2. Donax analicum, M. 3. Donax braziliensis, Rl.
1. Tellina radiata, Bl. 5. Tellina cornea, Lin.

London & Headerson 2. Old Bailey.





1. Tellina timorensis, Lam. 2. Corbis fimbriata, Lam. 3. Cyrena veylanica, Lam. 4. Venus decussata, Lam. 5. Venus vorbis, Lam. 6. Venus puer peva, Lam.






1 Anadonta digress lam = 2 = 000 semi (2 = 0m 3 Castalia undergue len su also 14 C

Then I ! . . . . . . . . . . . . Butter.




mal Emgdom .




ing lingua felis, Lam. 2. Jaint of the Shell of the Corbi's findiriata Lam, 3. Lovipes haten, Lam, ing jamaicensis, Lam, 5. Venus, 6. Jaint of the Shell of the Venus chiane Lam, 7. Venus causis, Lam, 8. Venus exceleta, Lam, 9. Jaint of the Shell of the Capsa brasiliensis, Lam, 10. oly buejudis, Lam, 11. Jaint of the Shell of the Corbids, australis, Lam, 12. Mactra brasiliana, Lam





Venns chione, lin. 2, 3, 4, 5, various positions of the Shell of the Venus chione.

London & Menderson 2. Old Builty






A man Range of the State of the




Mollusca.P1.38




l Mya truncata. Lem. 2 Laitravia elliptica. Lem. 3 Anatina hispiduda. 4 Glyciniceris siliqua. L taken frem an impublished drawing by Mens! Judenin. 5. Jeint of the Shell of the Pamopaya aldrevandi Lam. 6. Bys somia phaladis. Mull. 7. Hastella arctica. Take Bose. 8. Solen vagina. Lam. 9. Sanguininola via livida. Lum. 40. Psanimothea candida. Lum.





1. Solen cultellus, Chem. 2. Solen stripilatus, Chem. 3. Solen legumen, Chem. 4. Psammobia vunutu, Jam. 5. Psammothea violueva, Jam. 6. Pholas costuta, L. 7. Pholas crisputa, J.






L Saoğunolaria riqusa: 2. Saugunolaria veció na, Ima. 5. Solenya australia, Ima. 4. Glameroscete chen er Ima. 5. Aspergillom javanenen (h. 20. 6. Festilla i 1. 2004 e m. 1. S. Solenya en S. Teredo Pulmule tris. 9. Gastro Jeana (h. 20. 1.)






14. des Arrieta Lam. 2 Tevedo navalis L. 3 Fistulana gregata Lam. 4 Gastrochæna ancifernis, Lam. 5 Tevedina personata Lam. 6 Clavagella carenata Hesh. 7 Aspecgil 100 vagini ferum Lam. Savigne.






l Thalia cristata, two. 2. Salpa scutigera two. 3. Salpa infundibuliformis. 4. Salpa tricuspis, Imp & topm. 5. Salpa lengicanda, Imp & topm. 6. Salpa fusifornis, ita. 7. Salpa zanaria, III. 8. Salpa (vlindrica, two. 9. Salpa Perantidalis, Imp & tayan, 10. Baltenia veifora swigue, 11. Cynthia manus, sw. 12. Phallusia nigra, sw. 13. Clavellina borealis, sw.





I Boreyllus pelvegelus, Sar. 2 Pyrosoma rasam, Quey et baym, 3 Details es il e Pyrosoms augusteum Lesneur, 4 Polyolinum vensuellatum Sav. 5. Encælinm hospitielum Sav. 6. Aplulium de leuren Sav.

- I ž.




1 Anatifa *loveis, lam.* 2 Politicipes *cornucopia, lam.* 3 Politicipes *mitella, lam.* 4 Politicipes *scalpellum. lam.* 5 Gineras *villata, lanch.* 6 Otion *lavierii leach.* 5 Teterdes mis *hirsutus, liw.* 8 Tritan *alepis, lang. fascienlatus, lessen.* 






Ascidia microscomus. 2. Ascidia intestinalis. 3. Distoma varialatus. 4. Borrylla sterlatus Mesm.
 Synoicum ficus, Ellis. 6. Synoicum turgens, Mesm. 7. Salpa polamorpha Cooy & boym. 8. Salpa biolaidea. 9. Salpa hienenis. Chemisso.







Orbicula lavigata Bl. 5, Crania personata, Com.





1. Balanus ovularis, kam 2. Animal of the Balanus sulcetus, kam, 3. Acasta spinosula, besh, 1. Acasta Manie va Leach, 5. Conia vadiata, Bl. 6. A semus puvesus, lon, lov. 7. Pyržoma vame elluta, Leach, 8. Plassava francu drawing by M. Swigute, 9. Creusia spinosula, balak, 10. Chthomalus stellants, beh. Il. The surve lann a drawing by Mainalle 22, Ochthosia strevanii, lanzam, 13. Goromula, behavaris, kam, 11. Tubicinella halavnarum, kam, 15. Dindowa Granula, Diadensa, kam,






1. Balanus *spinosus*. 2. Balanus *gigus*. 3. Balanus *spinojites*. 4. Coxonula *testudinuria*. 5. Coxonula *balanavun*. 6. Pentalepas *luvis*. 31. 7. Pentalepas *polli vipes*. 31. 8. Polytepas *vulgavis*. 31. 9. - bythotrias *sincerbeii*.




Annelides.Pl. 1.




1 Scepula contortuplicata, inc. 2. Sexpula costalis, land, 3. The Operante of suc Nepalle stell lata tive abildy. 1. The Operate of the Serpula bicornis in abildy 5 8.86 11 postula 113. 6. Spirorhis mantifelites Lam






1. Terebella variabilis, Risso, 2. Terebella medusa, Sav. 3. Amphitrite agyptia. (iv. Sav.






L Deutalium entalis, Liu. 2. Siphostoma diplochaitos. Otto.


<sup>3.</sup> Anatomical details of the Siphostoma uncinata. Andeniu & Milnes Edwards.






L. Avenicola piscatorum Cuv. 2. Pleyone alcyonia. Sav.






1 Emphrosine laureata, Sar. Cur. 2. Branchia of the Emphrosine mirtura Sar 3. Hipponoe Gandichandii, And Anv.






1 Eurice Leadice, Sm. I antennata Swigny. 2 Eurice sanguinea, Laur, Seles of Weinster 3. Eurice Indicata, Muller






1. Enone Incida. Sav. 2. Ağlanen filgida. Sav.





Nereis nuntia. Savignya






1. Syftis manilaris Savigue. 2 Lombringera Urbignyt Edwards 3. Hesione spleudida Savigue.




Annelides. Pl.9.



L'Aphrodits aeuteata Basier. 2. Anatomical detaits of the Aphrodita histrix. Sax.

3. Polymoë impatieus. Sax. 1. Polymoë levis, Bilw.






Usmene amphisterna Soc. 2. Sangnis nga afficinalis Soc. 3. Sangnis nga medicinalis, kan 4. Bdolla nilotica, Soc. 5. Menth of the Thermopis sangnis orba-kin





DESCRIPTION OF THE SAN CRAIN THE DECAMORDS CRUSTACEA.





- 1. Matuta Peronii . Leach .
- 2. Orythia mamillaris. Fabr.
- 3. Podophtalinus vigil. Latr.
- 1. Thalamites Admete Late.





1 Mutata victor, lids. 2.Canvey hostata Herbit. 3 Polybius Henslowin Loudi.

to a will releasen 2 Old Builty.






1 Cancer puber. L. mile. 2. Portums marmoreus, kewh.
3 Portumus variegatus, keach.


London & Honderson, 2 Old Bailey






1. Concer pagnius. 1. 2. Xuntha floridus. 1.






L'Atelecyclus septemdentatus, mile leach. 2. Casore of a L






1 Cancer Muniphii late. 2 Atelegyelus cruentatus, Ilism. 3 Thia polita, Leach.


London, 6. Henderson, 2. Old Builey.





1 Macrophtalmus parvinianus, late. 2. Gonophax rhombeides, lin. 3. Gelasimus chlorophtalmus, late. 4. Mictyris longicarpius, late. 5. Anatomical details of the Mictyris sulcatus. Ant. 6. Punnotheres villosulus, lair.





4. Exciplica laviniana, Latr. 2. Pilimmus acuteotus, Edw. 3. Thelphus a indica. Latr.
4. Fore part of the Thelphus a fluvialilis Latr.







1. Cancer rhombaides. Lin. 2. Gelasimus marionis Rob 3 Plagusia elavimana, lat.

London 6. Henderson, 2. Old Builes






I. Thelphusa fluviatilis. Late with anatourval details.

London & Henderson, 2 Pld Butley






l Grapsus pictus Lun. 2. Maia squina le Herbst




Crustacea, Pl.14




1 Georgesis variegatus, Latr. The variegated Crab-fish) 2. The anatomical peculiarities of the Crab Fish Planasia | 3. Covestes personatis. Herbst/The Masked Crab | 4. Loncosia urania Herbst/The Crab Lenevsia






Camposeia retuju. Latr. 2. Halimus uries. Latr.
 Libinia spinosa M. Edw.





1. Egeria indica. Leach. 2. Pisa tetraedon Leach

London G. Henderson 2 Old Bailey






I Inachus scorpio. Fab. 2 Inachus dorhynchus Teach.

3 Hymenosonia orbicularis, Latr


London, 6. Henderson, 2. Old Builey.






1 .Homola . 2 .Dorippe nodulosa . London CHenderson 2. Old Builey





1 Cosspus penialliger. (The Hairy Fingered Crab) 2 Rempes testudinarius (The Australian Crab 3 Esgurus lativands (The Mauritius Borad Tailed Crab)





1. Gecarcinus lateralis. Fremiur. 2. Month of the Cardisonna earnifex. Latr.

3. Uca. n.na. Latr.






Ullomola spinifrons. Leach. 2 Pactolus Boscii Jeach.

3. Remina dersipes, Lam.


London, 6, Henderson, 2,04d Builey.







1 Albunea symmista Eab. 2. Hipp's emerita L. 3. Remipe's testudinarius Brazilian trab This Brawing was taken from a specimen obtained from the coast of Brazil.






L Parthenope herrida Fahr. 2. An entline figure of the Lambeus Masseria Rows. 3. Anatomy of the Lambous Meditervaneus. Rows. 4. Eurynome aspera. Leach. 5. Mithrax spinicinetus. Latr. Young Specimen.





1. Acauthonyx lumilatus. Latr. 2. Pis a serpulifera. M. Edv. 3. Pericera trispinosa. M. Edv.






1. Micippo Phylira, leach, Lat. 2. Anatomical details of the Micippo cristata, leach Lat.


3. Stemocionops creviceruis, leach Lat.






Lithodes artica, Latr. 2. Calappa tuberculosa, Lat. Fab.
 Æthva depressa, Lam.






1 Dromia hodipes./The Beath's Head Crab / 2. Drynomene hispida.
3. Ranina serrata.






L.Hymenosoma Leachii tuer. 2. Inachus theracieus. Hew.
3. Leptopus lengipes. latr.






1. Enevpodius Latreilling Guer. 2. Stenorhynchus phalangium. Leach.


3. Inatomical details of the Stenorbynchus tenuirestris, Leach. 4. Leptopodia Sagitturia. Fab.





1. Lencosia eraniolaris, Eab. 2. Myra figure. 3. Ebalia Lennantii, Leach. 1. Ixia camaliculatu, Leach. 5. Arcanin erinaceus, Leach. 6. Ilia nucleus, Leach.






1. Dromia hersutissima, Lam. 2 Ibacus Corrnii, Louch.

London, 6. Henderson, 2 Old Bailey






1. Palinuras quadricornis, Fab.


Lendon, & Hende at & Pld Enley






1. Birgus latre Latr. 2. Pagarus guttatus. Cliv. 3. Auternar of the Pagarus elepeatus. Cliv. genre Comobita. Latr.





1. Scyllacus latus, Latr. 2. Palinurus Ricerdi Guir. 3. Scyllacus orientalus (18)






1 walashea sirin sa Fih ? Cancer plate hele for

- A Technicy






Thalassina scurpionides Late 2 Gobia stellata Leach
 Megalopus mutica Hesm.


London & howeverson 2 Vel Buley.






1. Cancer gammarus, lin/The Common hebster | 2. Atia scabra, heach,
3. Porcellana punctata, buer, A. Axins Styrhynchus, Leuch.






1. Lysmain seriennela, Risso. 2. Pontonia enclose linia: Fersh - 3. Alpheus Felwarden etad. 4. Hyppolite heachar linia







1. Squilla mantis, Eab. 2. Alium hyalina, Louch. 3. Erichtus vetrecus, Lat. 4. Erichtus armstus Lat. 5. Phyllosomu chwirrena, Louch. 6. Phyllosomu laticerna, Louch. 7. Jassa pelagica, Louch. 8. Ceraphus tubularis, Th. Sqv. 9. Praniza unavulata, West.





1. Palsemon squilla. Lin. 2. Athanns nitescens. Leach.
3. Patsiphrea sévido, Risso.






Hippolyte Saverhari. Leach. 2 Hippolyte varians, Leach. 3. Nika canalicala Nob.


4. Pandalus annulicarnis Leach. 5 Egeon tericalus. Risso.







Pewers trisulcatus heach 2 Palamon servatus, heach, 3. Mibalia Herbstu, leach
4. Myis Fabricii heach, 5 Cvangon vulgaris, The Common Shrimp






L'Nephreps norwequeux. bin 2. Astacus fluvratilis Fabr. (Varieté) 3. Ervon Cuvicrii Pesm. 4. Callianassa subterranca, Leach.






1. Squilla scabricanda, lum 2 Squilla chira va Fab






J. Squilla scribifernata, lame/underneath view/ for an other view see Pl. 33, bis. 2, Alya scalara, Londo.
3. Processa celulis Rese







1. Squilla stylifera. Latr. 2 Covonis scolopendra Latr. 3. Exichtus Duvancellii. Guer. 1. Alima longirostris, iner. 5 Anatomical details of the Alima tetracanthara . Law.






1 Caprella tuberculata, Guir. 2, Caprella lebata Lair. 3, Cyancus avalis, Lair. 4 Pterygocerà avait un Late 5. Ancous facticularis. Hissa. 6. Typhis ferus. Edn. 7. Corophium langicarnis Late for contine try of some see Pl. 35. 8. a soung individual of fig. 6.






1. Pheonium sedentarius, kate 2. Talifens kocasta, kate 3. Orchestia kiteren, keach 3. Atylus zu ruadus, kouch 3. kenventur articulesus keach, 6. Dexamine spinesus, keach 4. Melita patinata kouch, 8. Cancer puser, 1m. 9. Amphithoe rubricata, keach, 40. Pherusa fucicola, keach, 41. Cerophiren kengie veis koir 12. Cerapus tubularis sąc.






1 Phyllosoma commune, kowh. 2 Phyllosoma Reynoudii, buér, 3, Anatemical details of the Phyllosoma fervienne kowh. 4. Phyonima atlantica, buer, 5, Hypevia Laterillii Edw. 6, Hypevia pedestris buer, 7. The wisto vandichandii buér.






1.2. Ione thurnicien. Mont. 3. Orchestin Fischerii Edw. 4. Mandible of the Orchestia. 5. Taliteus platecheles liner. G. Gamuneaux locusta, Late. 7. Leucothoc furing. Soviene. 8 Amphitoc filosa Saviene





1 Gammauns pedatas Mid. 2. Cyanins ceti, late. 3. Oniscus carulatus. Ment. 4. Apsendes lalpa lench, 5. Idoten tricuspidata late. 6. Stenosoma linearis lench. 7. Anthura geneilis, leach 8. Næsa hidentata, leach. 9. Oniscus secratus. Edb. 10.8 U. Æga emarginata, leach.






1. Cymothon trigonocephala . Leach .

2. lehthyophilus Orbignyi, Guer.


3. Canolira agyptiaca, ouer. 1. Cyanus Delphinii , buer.






1 & 2 Costathos a strum Eth. 3 Anilos va capensis, Letch. A Nelociva Surmiscus, letch. 5 Cla


to back a Comodocen lanuncker looch 7 & 8 Hoter aquation lab.






18 2. Ligin overarion. Eab front & back view. 3 Onisons asellus. Im. 4 & 5 Armadillo pustadatus. Dumeril. 6. Bopyrus squillarum female. Late. 7. back view of Fig. 6. 8. side view of Fig. 6. 9. class of the Bopyrus squillarum. 10 & 11 back & front view of an individual supposed to be the male Bopyrus squillarum. 12 Shield of the Palemon's squillarum, right side deformed by the presence of a Bopyrus. 13. Argulus foliaecus, male. Jurine. Jun. 13. a. back view of the Argulus foliaecus. fonale.






1 Con ous reseas o Facdar as hireler. 7. Daphnia cluthrata. 8. Caligus Mulleri.
(Inc Vish Tease (9. Dichelestium sturionis.





Appa communes, var. rubi - 2. Cyclops communes var. varidis (1987) - 1996, and of the C. communes. I. Cyclops castar female. 5. Cyclops etc. (1996) - 1996, and 6. Daphura puley. but.






Monoculus apir lan. 3 Cypris fast.






1 Limited thermani 2 Branchipus paladosus. 3 The Head of Pop. 2 - 1 Tors of the 18 paladosus female 5 A young individual of the same species as Fig. 2.





1 Limitus polyphenius, Fab. 2. underneath view of Fig. 1 3 & 4 Polyphenius centus, Mill. back & front view.






1 Eriodon vecutarius, Latr. 2, Mygale carnentaria, mále Latr. 3, Scythodes theracica, Latr. 4. Buorisus heterogaster, Latr. 5, Claws of a mundible of the Mygale wienlaria, Latr. 6, Lycosa accusula, Latr. 7, Month of the Orassus melanoguster, Latr.




Loudon; 6. Henderson, 2. Old Bailey.



Mygale fusciatu. Walch.






Mygale cunterrides. Walck, male.





Mygale Blondii Late.






Mygale avicularia, Walck
 Atypus Sulzeri, late.

I rateur 6. Henderson 2 Old Bailey.






1. Aranea nigritu. Lub. Mus. 2. Drassus hicetor. Hulm. Mus. 3. Disdera crythrina.

1. Drassus cinereus. Hulm. fem.






1. Drassus melagonaster, Tem. Latr. 2. Drassus mentanus, Fem. 3. Drassus murrinis.


1. Drassus ater Latr. 5. Drassus fulgens, Walek.





1 (Inbioma amarantha, Walek, 2. Sogestria senoculata, Walek, 3 Sogestria perfida, Walek,
4. Clubioma holoserica, stripped of its Legs, Walek.






1. Clubiona lapidicola. lat. 2 Clubiona punctata, fem.

3 Clubiona pullens, stripped of its legs.






1. Clubiona chuistraria fem. 2. Clubiona atrex fem Walek.

3. Clubiona nutrix. Lat. stripped of its legs & mandibles

London; 6. Menderson | Old Barley






1 Aranoa Inhirinthica, Lat. male 2. Aranoa Inhirinthica, female 3. Argivonota aquatica.

London; 6. Henderson, 2 Old Bailey.






Theridion of guilatum, 1. a. finali of Fig.1. 2. Theridion redimitum, Walek. 3. Theridion Incolor.

4. Theridion various, var






1. Theridion 4 punctatum, male, Walek, 2. Theridion maculatum, Fem. Walek,


3. Theridion 4 signatum. 4 Theridion dersiger. 5. Theridion varians.






1. Phrynus reniformis, km. 2. Scorpio afer, km. 3. Theliphonus candatus, km. 4. Galeodes spinipalpis, kat.






1. Theridion rubripes. 2. Theridion theracicum. 3. Theridion maxillosum.


1 Theridian signatum Finale. 5. Theridian tristes. Fan. 6. Theridian nervosum. Walde.






1. Theridion maxillosum, female, 2. Theridion obscurum, 3, Theridion reticulatum, 4. Theridion bicolor, stripped of its legs & mandibles, 5. Theridion nervosum, stripped of its legs & mandibles.






L. Avanea Inevipes. Lin. fem. 2. Thomisus aureelus. male. Walek.

3. Thomisus griseus, fem.






1. Thomasus aureclus, fem , Walek. 2. Oxyopes variegatus, fem lat. 3. Aranea fimbriatus, Clerk


Londons G. Henderson, 2. Old Builey.






1. Thomisus pratensis Ilahn. 2. Thomisus diadenra Ilahn. 3. Thomisus rhambaicus.
4. Thomisus ablangus.






Thomisus pini, 2. Thomisus volustus, 3. Thomisus subulosus, 4. Thomisus brevipes.
 Thomisus ulmi, 6. Thomisus lateralis.





1. Pholens phalangiaides. Walek. 2 Epcira chavipes. Walek






I Epcira sturmii Halm. 2. Epcira hirsuta Halm.

3. Epeira ultrichii. Hahn.


Land . 6. Hender son 2 Old Builey





Tetragnatha extensa Lat






1. Thomisus fluicalens. Walek. 2. Thomisus retundeiris. Walek. 3. Thomisus eitrens. Walek.


1. Aramens plantarins (Verk. 5. Thomisus existatus Walek.)






Epcira serieca, Walek 2. Epcira selopetaria - Olerk
 Epcira cenica, Walek.


London, 6. Henderson, 2. Old Barley.






1. Micronimata sinarogdina, male, Lat. 2. Micronimata sinarogdina, fem. 3. Plobovus Walkenaerius, fem. Lat.


London: 6. Henderson, 2.0ld Bailey.






1 Epoira sealors Balek. 2 Epoira apoclesa ber






Acrosoma furcata, fem. llahu. 2 Acrosoma hifurcata llahu.
 Acrosoma haracantha fem. llahu. Aranea haracantha Fab.






Aranea Fusciata ( The Fasciated or Burbary Spider )






Ulycosa *latreilleii*. 2. Epetro angulata.Makk 3. Epetra genista U.Epetra Herii Halin.






Epeiva diadema, Fem. 2 Epeiva tuhukissa, Walek,
 3. Epeiva agalena, Ilahn







1. Eperca vulpina. 2. Eperca virgata . 3. Body of the Eperca unibration 1. Body of the Epeira Schreibersii Ten






1. Lycosa silvicultric, male. 2. Lycosa silvicultric female 3. Lycosa praegrandis
4. Lycosa hellenica.






1. byen va sabulosa, Ilalia. 2. byensa varsor Ilalia. 3. byensa Ingubris. Ilalia.
4. byensa arridiana, Ilalia

Lendon to Henderson 2 Old Bulley.







Lycosa melaganaster. 2. Lycosa raricola Latr. 3. Lycosa varax. Walek.
 4. Lycosa alpina.


London a Monder on a Old Barley





1. Exesus otenizoiaes 2. Exesus luridus. 3 Palpinanus hacmatinus male. 4. Palpinanus hacmatinus feeto. 5. Oxyopes lineatus male. 6. Oxyopes lineatus female.






1. Lycom přeta. 2 lycosa piratica Balik

3 Lycosa saccita Late male


London, G. Henderson, 2 Ced Bailey.





1 Lycosa Lynx. Fem. 2. Lycosa paludosa. Fem.






1. Dolomedes limbatus, Mahn. 2. Dolomedes mirabilis. Walck


3. Dolomedes marginatus. Walck.

London & Henderson ? Old Builes






1. Aranea grossijes de inc. 2. Salticus fusciatus Ilalin. 3. Salticus tigurous ilalin. 1. Salticus Titurales. 3 Attins quinquepartius Walsk









1 Saltieus Stoaner Law. 2. Saltieus erner. 3 Saltieus graeilis 4 Saltieus Inexipes. 5. Saltieus agilis


London, L. Henderson. & Old Bailey





Attus chalybeius, Walek. 2. Saltions aeneus. 3. Saltions pubescens. Fab. 4. Saltions piavipes
 Saltions abietis. 6. Saltions pini, de liver.






1 Saltions Rung in late 2 & 3. Saltions seemiens late 4 Anns covernative Block.

5 Attos cupreus. Balek

London 6 Henderson 2. Old Bailes






1. Chelifer concreides, beeff. 2. Chelifer irreldes, Halm. 3. Chelifer certicalis, Halm.


1. Eroscus annaherimis, Walck. 5. Eroscus annahitus. Scha.






1. Galoodos manerides male 2 Galoodes armevides fim. 3 Opilio midens






1. Opino lucerum male. 2. Opilio rufipese.
3. Opilio lucerum fem.






Leprino *imagipos Peris, nela - <sup>10</sup>* Phalangunu colores se seas.


C Phalangunu - *mid am To*.






1 Phalingenm / · n on ' n. . Opilio heart






1. Trogulus nepafarmis, kat. 2 Trombuluan fasciculatum 3 Trombuluan kalaserveum Fab. 1 Trombuluan haliginosum llerm 5 Trombuluan termaenlatum llerm 6 Trombuluan se econo. 1. Erythrans phulangiaidese kat.





1 Dolomedes riparious 2 Ixades reduveris Halm 3 Ixades ranguales Halm 4 Theredion her factori male. Water 5 Theridion beniquim tenale 6 Aranes latens 1 1 7 Diction variable. 98a





- I. Hedrachna gengraphica Mull. ' Hydrachna kistrionica with 3 Hydrachna & 1









